

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: November 4, 2010

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004-2010 Model
Years) (Statewide)

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Dawn Curley
Purchasing Officer I
(518) 474-2802
dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:
August 20, 2004 - November 30, 2010

**CONTRACTORS/
CONTRACT NOS.:**
J.P. Bus and Truck Sales d/b/a Bird Bus Sales
PC64894

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: Contact Person Change

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

The new contact person for the above mentioned contract is:

Ms. Rose Meinking
Phone: (516) 767-2700 Ext 19
Fax: (516) 767-2703
E-Mail: Rose@birdbussales.com

All other terms and conditions remain the same.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: August 25, 2010

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004-2010 Model
Years) (Statewide)

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Dawn Curley
Purchasing Officer I
(518) 474-2802
dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:
August 20, 2004 - November 30, 2010

**CONTRACTORS/
CONTRACT NOS.:**

Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
J.P. Bus and Truck Sales d/b/a Bird Bus Sales/PC64894
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: Anticipated Lapse in Contract Coverage

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

This memo shall serve as notification that the above contracts will expire on November 30, 2010. Bids for a replacement contract were opened on August 24, 2010, under IFB #22081. However, we anticipate a lapse in coverage until a new contract is issued.

Authorized users are instructed to plan accordingly so that this anticipated lapse in contract does not cause hardships for your agency and/or district.

Please contact our office with any questions.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: May 26, 2010

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Dawn Curley
Purchasing Officer I
(518) 474-2802
Dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2010

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
J.P. Bus and Truck Sales d/b/a Bird Bus Sales/PC64894
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: Finalized PPI Adjustment

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following:

The Price Adjustment Factor for base vehicles listed on the above referenced contracts is an additional **16.2%** of the base vehicles prices listed in the contract award document. This adjustment will be applied to all orders in the months of April 2010 thru contract expiration.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: April 28, 2010

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Dawn Curley
Purchasing Officer I
(518) 474-2802
Dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2010

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
J.P. Bus and Truck Sales d/b/a Bird Bus Sales/PC64894
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: PPI Adjustment

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Based on information currently available, we estimate the Price Adjustment Factor for base vehicles listed on the above referenced contracts will be an additional **16.3%** on the unit price listed in the Revised Contract Award Notification issued January 6, 2010. This information is being provided merely as an approximation to assist agencies and school districts in preparing budgets. The actual adjustment may differ from this estimate.

Another Purchasing Memorandum stating the actual increase will be issued when firm information is available.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: February 4, 2010

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Dawn Curley
Purchasing Officer I
(518) 474-2802
Dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2010

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Ramp Transportation/PC61183
JP Bus & Truck Repair, Ltd d/b/a Bird Bus Sales/PC64894

SUBJECT: Contract Assignment and Cancellation

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Ramp Transportation's contract has been assigned to J.P. Bus & Truck Repair d/b/a Bird Bus Sales. Bird Bus Sales will cover Bronx, New York, Kings, Queens, Richmond, Nassau, Suffolk, Westchester and Rockland counties.

Ramp Transportation's contract is cancelled effective immediately.

The Contact Information for Bird Bus Sales is:

Mr. Dan Iovino
1 Warehouse Lane
Elmsford, NY 10523
Phone: 888-247-3068
Fax: 914-592-2872
Fein: 16-1699953

A revised Contract Award Notice outlining these changes will be forthcoming.

All other terms and conditions remain the same.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: December 29, 2009

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Dawn Curley
Purchasing Officer I
(518) 474-2802
Dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2010

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Matthews Buses Inc./PC61180
Quality Bus Sales of NY/PC61182

SUBJECT: Contract Assignment and Cancellation

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Quality Bus Sales of NY's contract has been assigned to Matthews Buses Inc. Quality Transportation's contract is cancelled effective immediately.

For your convenience a new Region Listing has been made apart of this Purchasing Memo. A revised Contract Award Notice outlining these changes will be forthcoming.

(Continued on next page)

REGION LISTING:

Individual purchase orders should be directed to the respective company that was awarded a contract in the county your agency/facility is located in.

Items on Contract	Contractor	Counties
4, 5, 6, 7, 8, 9, 10, 12*, 13, 14, 15*, 16, 17 <i>*will not be available after depletion of 2007 model year inventory</i>	Factory Direct Bus Sales, Inc.	Bronx, Columbia, Delaware, Dutchess, Greene, Kings, Nassau, New York, Orange, Putnam, Queens, Richmond, Rockland, Suffolk, Sullivan, Ulster, Westchester
	Gorman Enterprises	Albany, Allegany, Broome, Cattaraugus, Cayuga, Chautauqua, Chemung, Chenango, Clinton, Cortland, Erie, Essex, Franklin, Fulton, Genesee, Hamilton, Herkimer, Jefferson, Lewis, Livingston, Madison, Monroe, Montgomery, Niagara, Oneida, Onondaga, Ontario, Orleans, Oswego, Otsego, Rensselaer, St Lawrence, Saratoga, Schenectady, Schoharie, Seneca, Steuben, Tioga, Tompkins, Warren, Washington, Wayne, Wyoming, Yates
16, 17	New York Bus Sales	All counties not covered by Ramp Transportation
	Ramp Transportation	Bronx, Dutchess, Kings, Nassau, New York City, Orange, Putnam, Queens, Richmond, Rockland, Suffolk, Sullivan, Ulster, Westchester
5, 8, 13, 14, 16, 17	Matthews	All counties not covered by Thomas Bus Sales
	Thomas	Nassau, New York City (including boroughs), Suffolk
1, 2, 4, 5, 6, 7	Van Con, Inc.	All counties statewide

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: December 2, 2009

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Dawn Curley
Purchasing Officer I
(518) 474-2802
Dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Quality Bus Sales of NY/PC61182
Ramp Transportation/PC61183

SUBJECT: Short Term Contract Extensions

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

The above mentioned contracts have been extended for a 30 day time period, through **December 30, 2009**. Buses cannot be purchased from these contracts. This short term extension is being done to allow for Assignment of these contracts to other dealers. More information on these Assignments will be forthcoming.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract for future reference.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: November 10, 2009

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Dawn Curley
Purchasing Officer I
(518) 474-2802
dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2010

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: Contract Renewals

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Only the above mentioned contracts have been extended for a period of one year, through **November 30, 2010** or until a new award is in place whichever occurs first.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: June 23, 2009

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Dawn Curley
Purchasing Officer I
(518) 474-2802
Dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Factory Direct Bus Sales, Inc./PC61177

SUBJECT: Contractor contact information update

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

The above mentioned contractor has a new phone number. In the future, please use the phone number listed below when trying to contact Factory Direct Bus Sales.

New Phone Number: 516-767-2700

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: June 2, 2009

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Dawn Curley
Purchasing Officer I
(518) 474-2802
Dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Quality Bus Sales & Service Inc./PC61182
Ramp Transportation Co. Inc./PC61183
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: April 2009 Price Adjustment Factor

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

The Price Adjustment Factor for base vehicles listed on the above referenced contracts is an additional **14.1%** of the base vehicle prices listed on the Revised Contract Award Notification date March 7, 2008.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: May 8, 2009

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Dawn Curley
Purchasing Officer I
(518) 474-2802
Dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Quality Bus Sales & Service Inc./PC61182
Ramp Transportation Co. Inc./PC61183
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: April 2009 Price Adjustment Factor

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Based on information currently available, we estimate the Price Adjustment Factor for base vehicles listed on the above referenced contracts will be an additional **14.1%** on the unit price listed in the Revised Contract Award Notification issued March 7, 2008. This information is being provided merely as an approximation to assist agencies and school districts in preparing budgets. The actual adjustment may differ from this estimate.

Another Purchasing Memorandum stating the actual increase will be issued when firm information is available.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: March 18, 2009

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Dawn Curley
Purchasing Officer I
(518) 474-2802
Dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S): FACTORY DIRECT BUS SALES, INC.- PC61177

SUBJECT: Contract Information Update

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

The corporate address for the above mentioned contractor has been changed to:

**Factory Direct Bus Sales Inc.
135 Haven Avenue
Port Washington, NY 11050.**

Purchase Orders should be made out to the above mentioned address.

All other contact information remains the same.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: February 27, 2009

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Dawn Curley
Purchasing Officer I
(518) 474-2802
Dawn.curley@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S): FACTORY DIRECT BUS SALES, INC.- PC61177

SUBJECT: Contact Information Update

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

The contact information for the above mentioned contract has been **changed** as follows:

**1 Warehouse Lane
Elmsford, NY 10523
Fax: 914-592-0285**

All other contact information remains the same.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: May 20, 2008

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Quality Bus Sales & Service Inc./PC61182
Ramp Transportation Co. Inc./PC61183
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: April 2008 Price Adjustment Factor

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following:

The Price Adjustment Factor for base vehicles listed on the above referenced contract is an additional **11.1% only** of the base vehicle prices listed in the **revised contract award document** issued March 7, 2008. This adjustment should be applied to all orders retroactive to the month of April 2008 and continuing through March 31, 2009.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: February 22, 2008

GROUP: 40520 –BUSES (School), Type A,
Light Duty, Van & Cutaway Van Style
(2004 Through 2010 MY) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD: August 20, 2004 to
November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S): **Factory Direct Bus Sales/PC61177**
Gorman Enterprises/PC61178

SUBJECT: Authorized Contractors for Item 6

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following clarification to a recent Purchasing Memorandum:

Factory Direct Bus Sales and Gorman Enterprises are authorized to sell Item 6 under this contract. This information was inadvertently omitted from recent Purchasing Memoranda.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
 Procurement Services Group
 Corning Tower Building
 Empire State Plaza
 Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: February 1, 2008

GROUP: 40520 –BUSES (School), Type A,
 Light Duty, Van & Cutaway Van Style
 (2004 Through 2010 MY) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
 Purchasing Officer I
 (518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD: August 20, 2004 to
 November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
 (518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/
CONTRACT NO(S): Don Brown Bus Sales Inc./PC61176
 Leonard Bus Sales/PC61179

SUBJECT: Cancellation of Contract

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following:

Effective December 19, 2007, Don Brown Bus Sales, Inc. is no longer under contract with New York State to sell Type A buses, as they are not an authorized dealer for Corbeil.

Warranty service for buses purchased from Don Brown Bus Sales, Inc. and Gorman Enterprises will be performed by Factory Direct Bus Corporation and Gorman Enterprises according to the following schedule:

Contractor	Contract Number	Items on Contract	Counties
Factory Direct Bus Sales	PC61177	4, 5, 7, 8, 9, 10, 13, 14, 16, 17	Bronx, Columbia, Delaware, Dutchess, Greene, Kings, Nassau, New York, Orange, Putnam, Queens, Richmond, Rockland, Suffolk, Sullivan, Ulster, Westchester
Gorman Enterprises	PC61178	4, 5, 7, 8, 9, 10, 13, 14, 16, 17	Albany, Allegany, Broome, Cattaraugus, Cayuga, Chautauqua, Chemung, Chenango, Clinton, Cortland, Erie, Essex, Franklin, Fulton, Genesee, Hamilton, Herkimer, Jefferson, Lewis, Livingston, Madison, Monroe, Montgomery, Niagara, Oneida, Onondaga, Ontario, Orleans, Oswego, Otsego, Rensselaer, Saratoga, St. Lawrence, Schenectady, Schoharie, Seneca, Steuben, Tioga, Tompkins, Warren, Washington, Wayne, Yates, Wyoming

continued

Additionally, Leonard Bus Sales no longer holds a contract for the sale of Type A buses, as US Bus Corp is no longer in business. Leonard continues to be an authorized IC Corp distributor for Type C and D buses under another award.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: January 25, 2008

GROUP: 40520 – BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 to 2010 MY)
(Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

**Arcola Sales and Service Corp/PC61175
Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178**

SUBJECT: Assignment of Contract

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following:

Due to a realignment of distributors by Collins, the contract formerly held by Arcola Sales and Service Corporation has been reassigned to Factory Direct Bus Sales and Gorman Enterprises.

continued

If you wish to order a Collins/Mid Bus vehicle under this contract, the assigned counties are as follows:

Contractor	Contract Number	Items on Contract	Counties
Arcola Sales & Service	PC61175	None	None
Factory Direct Bus Sales	PC61177	4, 5, 7, 8, 9, 10, 13, 14, 16, 17	Bronx, Columbia, Delaware, Dutchess, Greene, Kings, Nassau, New York, Orange, Putnam, Queens, Richmond, Rockland, Suffolk, Sullivan, Ulster, Westchester
Gorman Enterprises	PC61178	4, 5, 7, 8, 9, 10, 13, 14, 16, 17	Albany, Allegany, Broome, Cattaraugus, Cayuga, Chautauqua, Chemung, Chenango, Clinton, Cortland, Erie, Essex, Franklin, Fulton, Genesee, Hamilton, Herkimer, Jefferson, Lewis, Livingston, Madison, Monroe, Montgomery, Niagara, Oneida, Onondaga, Ontario, Orleans, Oswego, Otsego, Rensselaer, Saratoga, St. Lawrence, Schenectady, Schoharie, Seneca, Steuben, Tioga, Tompkins, Warren, Washington, Wayne, Yates, Wyoming

Until further notice, Gorman Enterprises may also sell remaining stock of Corbeil Canadian-manufactured vehicles in the counties as listed in the original Contract Award Notice issued August 20, 2004.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: May 15, 2007

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Arcola Sales and Service Corp/PC61175
Don Brown Bus Sales Inc./PC61176
Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
Leonard Bus Sales/PC61179
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Quality Bus Sales & Service Inc./PC61182
Ramp Transportation Co. Inc./PC61183
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: April 2007 Price Adjustment Factor

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following:

The Price Adjustment Factor for base vehicles listed on the above referenced contract is an additional **8.5%** **only** of the base vehicle prices listed in the **contract award document** issued August 20, 2004. This adjustment should be applied to all orders retroactive to the month of April 2007 and continuing through March 31, 2008.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: February 23, 2007

GROUP: 40520 – BUSES (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 to November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S):

Arcola Sales and Service Corp/PC61175
Don Brown Bus Sales Inc./PC61176
Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
Leonard Bus Sales/PC61179
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Quality Bus Sales & Service Inc./PC61182
Ramp Transportation Co. Inc./PC61183
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: Estimated April 2007 Price Adjustment Factor

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Based on information currently available, we estimate the Price Adjustment Factor for base vehicles listed on the above referenced contracts will be an additional 8.4% on the unit price listed in the Contract Award Notice, effective April, 2007. This information is being provided merely as an approximation to assist agencies and school districts in preparing budgets. The actual adjustment may differ from this estimate.

Another Purchasing Memorandum stating the actual increase will be issued on or about the first week of April, 2007.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: October 18, 2006

GROUP: 40520 – BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD: August 20, 2004 through
November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S): Arcola Sales and Service Corp/PC61175
Don Brown Bus Sales Inc./PC61176
Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
Leonard Bus Sales/PC61179
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Quality Bus Sales & Service Inc./PC61182
Ramp Transportation Co. Inc./PC61183
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: Volume Discount

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following:

Based on Statewide sales, the following volume discount shall be applied to all orders and should be considered when researching the most favorable pricing:

Arcola Sales and Service	.25%
Don Brown Bus Sales/Gorman Enterprises	.50%
Factory Direct Bus Sales/Leonard Bus Sales	.25%
New York Bus Sales/Ramp Transportation	.25%
Matthews Buses/Quality Bus Sales /Thomas Bus Sales	.25%
Van-Con, Inc.	.25%

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: September 29, 2006

GROUP: 40520 – Buses (School), Type A, Light Duty
Van & Cutaway Van Style (2004 through 2010)
(Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD: August 20, 2004 through
November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S).: Quality Bus Sales & Service, Inc./PC61182

SUBJECT: Change in Contractor Information

ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following:

The new address and phone numbers for Quality Bus Sales & Service, Inc. are:

Quality Bus Sales & Service, Inc.
201 Charles Street
Maybrook, NY 12543
845/427-9091
845/427-9034 fax line

All other terms and conditions remain the same. Please attach this to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: May 16, 2006

GROUP: 40520 – BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD: August 20, 2004 through
November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

**CONTRACTOR(S)/
CONTRACT NO(S):**

Arcola Sales and Service Corp/PC61175
Don Brown Bus Sales Inc./PC61176
Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
Leonard Bus Sales/PC61179
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Quality Bus Sales & Service Inc/PC61182
Ramp Transportation Co. Inc./PC61183
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: PPI Adjustment

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following:

The Price Adjustment Factor for base vehicles listed on the above referenced contract is an additional **5.4% only** of the base vehicle prices listed in the **contract award document** issued August 20, 2004. This adjustment should be applied to all orders retroactive to the month of April 2006 and continuing through March 31, 2007.

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: October 20, 2005

GROUP: 40520 – BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD: August 20, 2004 through
November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

CONTRACTOR(S)/

CONTRACT NO(S): Arcola Sales and Service Corp/PC61175
Don Brown Bus Sales Inc./PC61176
Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
Leonard Bus Sales/PC61179
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Quality Bus Sales & Service Inc./PC61182
Ramp Transportation Co. Inc./PC61183
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: Volume Discount

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following:

Based on Statewide sales, the following volume discount shall be applied to all orders and should be considered when researching the most favorable pricing:

Arcola Sales and Service	.25%
Don Brown Bus Sales/Gorman Enterprises	.50%
Factory Direct Bus Sales/Leonard Bus Sales	0%
New York Bus Sales/Ramp Transportation	.25%
Matthews Buses/Quality Bus Sales /Thomas Bus Sales	.25%
Van-Con, Inc.	.25%

All other terms and conditions of the contract remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: July 27, 2005

GROUP: 40520 – BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD: August 20, 2004 through
November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

**CONTRACTOR(S)/
CONTRACT NO(S):**

Arcola Sales and Service Corp/PC61175
Don Brown Bus Sales Inc./PC61176
Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
Leonard Bus Sales/PC61179
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Quality Bus Sales & Service Inc./PC61182
Ramp Transportation Co. Inc./PC61183
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: PPI Adjustment

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following:

The Price Adjustment Factor for base vehicles listed on the above referenced contracts is an additional 2.4% of the base vehicle prices listed in the contract award document. This adjustment should be applied to all orders retroactive to the month of April 2005 and continuing through March 31, 2006.

All other terms and conditions of the contact remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: February 24, 2005

GROUP: 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010
Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD: August 20, 2004 through
November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

**CONTRACTOR(S)/
CONTRACT NO(S):**

Arcola Sales and Service Corp/PC61175
Don Brown Bus Sales Inc./PC61176
Factory Direct Bus Sales, Inc./PC61177
Gorman Enterprises/PC61178
Leonard Bus Sales/PC61179
Matthews Buses Inc./PC61180
New York Bus Sales, LLC/PC61181
Quality Bus Sales & Service Inc./PC61182
Ramp Transportation Co. Inc./PC61183
Thomas Bus Sales of NY/PC61184
Van-Con, Inc./PC61185

SUBJECT: Estimated Price Adjustment Factor

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Based on information currently available, we estimate the Price Adjustment Factor for the base vehicle pricing listed in the above referenced contracts to be 2.4% in April, 2005. This information is being provided merely as an estimate to assist agencies and school districts in preparing budgets. The actual adjustment may differ from this estimate.

Another Purchasing Memorandum stating the actual increase will be issued on or about the first week of April, 2005.

All other terms and conditions of the contact remain the same. Please attach this Purchasing Memorandum to the term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

CONTRACT AWARD NOTIFICATION UPDATE

AWARD NUMBER: [19198](#)

DATE: September 22, 2004

GROUP: 40520 - BUSES (School), Type A, Light
Duty, Van & Cutaway Van Style (2004
Through 2010 Model Years) (Statewide)

PLEASE ADDRESS INQUIRIES TO:

STATE AGENCIES & CONTRACTORS

Patricia Weidman
Purchasing Officer I
(518) 402-5552
pat.weidman@ogs.state.ny.us

CONTRACT PERIOD:

August 20, 2004 through
November 30, 2009

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

**CONTRACTOR(S)/
CONTRACT NO(S):**

**Don Brown Bus Sales, Inc./PC61176
Gorman Enterprises/PC61178**

SUBJECT: Chassis Clarification

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Please note the following clarification to pages 8 and 9 of the above contract:

**All references in the Index to the Chevrolet chassis offered by Don Brown/Gorman
Enterprises for items 4 through 9 should read: Chevrolet or GMC.**

All other terms and conditions remain the same.

Please attach this to the term contract.

State of New York Executive Department
Office Of General Services
Procurement Services Group
Corning Tower Building - 38th Floor
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

CONTRACT AWARD NOTIFICATION

Title	:	Group 40520 - BUSES (School), Type A, Light Duty, Van & Cutaway Van Style (2004 Through 2010 Model Years) (Statewide) Classification Code(s): 25
Award Number	:	<u>19198</u> (Replaces Award 3304-G)
Contract Period	:	August 20, 2004 Through November 30, 2009
Bid Opening Date	:	April 14, 2004
Date of Issue	:	August 20, 2004
Specification Reference	:	As Incorporated In The Invitation For Bids
Contractor Information	:	Appears on Page 2 and 3 of this Award

Address Inquiries To:

State Agencies & Vendors	Political Subdivisions & Others
Name : Patricia Weidman Title : Purchasing Officer 1 Phone : 518-402-5552 Fax : 518-474-8676 E-mail : pat.weidman@ogs.state.ny.us	Customer Services Phone : 518-474-6717 Fax : 518-474-2437 E-mail : customer.services@ogs.state.ny.us

**The Procurement Services Group values your input.
Complete and return "Contract Performance Report" at end of document.**

Description

This award provides for the purchase of new, current model year "Type A" school and activity buses.

PR #19198-T

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

AWARD PAGE 2

NOTE: See individual contract items to determine actual awardees.

<u>CONTRACT #</u>	<u>CONTRACTOR & ADDRESS</u>	<u>TELEPHONE #</u>	<u>FED.IDENT.#</u>
PC61175	ARCOLA SALES AND SERVICE CORP 51 Kero Road Carlstadt, NJ 07072	201/507-8500 x 76 800/272-6521 Ms. Tamara Edmonds Fax: 201/507-5372 E-mail: tamara@arcolasales.com Web: www.arcolasales.com	222842957
PC61176 SB	DON BROWN BUS SALES INC. 703 County Highway 107 Johnstown, NY 12095	518/762-7380 800/272-0842 Mr. Mark J. Sebast Fax: 518/762-9740 E-mail: mark@buscrazy.net Web: www.buscrazy.net	141679304
PC61177 SB	FACTORY DIRECT BUS SALES, INC 65-51 Fresh Meadows Lane Fresh Meadows, NY 11365	718/886-8100 888/275-7425 Mr. Robert Reichenbach Fax: 718/886-6643 E-mail: rick@factorydirectbussales.com	134041834
PC61178 SB	GORMAN ENTERPRISES 691 Bullis Road Elma, NY 14059	716/675-3859 800/652-8577 Mr. William P. Gorman Fax: 716/675-1861 E-mail: bgorman@gormanent.com	161171292
PC61179 SB	LEONARD BUS SALES 4 Leonard Way Deposit, NY 13754	607/467-3100 800/554-4504 Ms. Betsy Yakaitis Fax: 607/467-4550 E-mail: betsy@leonardbus.com Web: www.leonardbus.com	161007038
PC61180 SB	MATTHEWS BUSES INC 2900 Route 9 Ballston Spa, NY 12020 Disc: .001%-15 days	800/288-6287 Mr. Glen Matthews Fax: 716/335-6094 E-mail: gmatthews@matthewsbuses.com Web: www.matthewsbuses.com	160979756
PC61181 SB	NEW YORK BUS SALES, LLC 7765 Lakeport Road Chittenango, NY 13037	315/687-3969 800/962-5768 Mr. Sean P. Finnerty Fax: 315/687-5502 E-mail: spfinnerty@newyorkbussales.com Web: www.newyorkbussales.com	270063570

(continued)

<u>CONTRACT #</u>	<u>CONTRACTOR & ADDRESS</u>	<u>TELEPHONE #</u>	<u>FED.IDENT.#</u>
PC61182 SB	QUALITY BUS SALES & SERVICE INC PO Box 350 Haverstraw, NY 10927 Disc: .001% -- 15 days	845/567-3140 877/782-5725 Mr. George Eckes Fax: 845/567-3379 E-mail: geckes@qualitybussales.com Web: qualitybussales.com	132892631
PC61183 SB	RAMP TRANSPORTATION CO. INC. 1595 Route 112 Port Jefferson Station, NY 11776	631/473-6060 x 196 800/699-0393 Mr. Dan Iovino Fax: 631/473-4912 E-mail: diovino@ramptransportation.com Web: www.ramptransportation.com	112289590
PC61184 SB, MBE	THOMAS BUS SALES OF NY 202 South Fehrway Bayshore, NY 11706 Disc: .001% -- 15 days	631/242-3200 800/328-7269 Mr. John Clare Fax: 631/243-0921 E-mail: john@nescobus.com	113083441
PC61185	VAN-CON, INC. 123 William Street Middlesex, NJ 08846 Disc: 1% -- 15 days	732/356-8484 Mr. James D. Anderson Fax: 732/805-9661 E-mail: vancon2000@aol.com	222013918

Cash Discount, If Shown, Should be Given Special Attention.

**INVOICES MUST BE SENT DIRECTLY TO THE ORDERING AGENCY FOR PAYMENT.
(See "Contract Payments" and "Electronic Payments" in this document.)**

AGENCIES SHOULD NOTIFY THE PROCUREMENT SERVICES GROUP PROMPTLY IF THE CONTRACTOR FAILS TO MEET DELIVERY OR OTHER TERMS OF THIS CONTRACT. PRODUCTS OR SERVICES WHICH DO NOT COMPLY WITH THE SPECIFICATIONS OR ARE OTHERWISE UNSATISFACTORY TO THE AGENCY SHOULD ALSO BE REPORTED TO THE PROCUREMENT SERVICES GROUP.

SMALL, MINORITY AND WOMEN-OWNED BUSINESSES:

The letters SB listed under the Contract Number indicate the contractor is a NYS small business. Additionally, the letters MBE and WBE indicate the contractor is a Minority-owned Business Enterprise and/or Woman-owned Business Enterprise.

RECYCLED, REMANUFACTURED AND ENERGY EFFICIENT PRODUCTS:

The Procurement Services Group supports and encourages the purchase of recycled, remanufactured, energy efficient and "energy star" products. If one of the following codes appears as a suffix in the Award Number or is noted under the individual Contract Number(s) in this Contract Award Notification, please look at the individual awarded items for more information on products meeting the suffix description.

RS,RP,RA	Recycled
RM	Remanufactured
SW	Solid Waste Impact
EE	Energy Efficient
E*	EPA Energy Star
ES	Environmentally Sensitive

(continued)

NOTE TO ALL CONTRACT USERS:

The terms and conditions of the bid solicitation which apply to the award appear at the end of this document. We strongly advise all contract users to familiarize themselves with all terms and conditions before issuing a purchase order.

PRICE:

General - All prices shall be net, FOB points of destination designated by ordering agencies and shall include:

- All customs, duties and taxes and any charges imposed by a governmental entity;
- All vehicle preparation and clean-up charges;
- New York State motor vehicle inspection fees and all other incidentals normally included with delivery of a vehicle including the manufacturer's fees such as destination charges, etc.;
- All price discounts being firm for the entire contract period (NOTE: Price reductions and/or discount increases are permitted);
- All transportation costs;
- **NO** separate, additional delivery charge.

MSRP - Prices for options and accessory equipment shall not exceed the Manufacturer's Suggested Retail Price (MSRP), less discount offered. The vehicle manufacturer's OEM option pricing is incorporated as part of this contract. Complete copies of the MSRP list(s) shall be maintained at the manufacturer's place of business and at the contractor's place of business for a period not less than that required by law for verification of correct MSRP billing.

General Wholesale Price Decrease Or Promotions - Prices are subject to decrease by the amount of any general decrease in the wholesale prices established by the manufacturer by deducting from the quoted price the difference between the established manufacturer's wholesale prices on the date of bid opening and the established manufacturer's wholesale prices on the date of the equipment is shipped from the factory.

No Charge Equipment - In the event optional equipment is promoted as "no charge," then that equipment shall be provided at no charge on all deliveries made on the effective date of the promotion or thereafter or a credit shall be issued if not provided.

Lower Pricing - The State reserves the right to negotiate lower pricing, or to advertise for bids, whichever is in the State's best interest as determined by the Commissioner, in the event of a significant decrease in market price of any product listed.

Firm Pricing - Prices or discounts quoted are to be firm for the entire contract period and the extension period/s, if any, except for the price changes as allowed in "Price Adjustment" below.

PPI Price Adjustment - Adjustment may be made in pricing each April with such adjustment applying to all orders issued in the April the adjustment takes place through March of the following calendar year. Adjustment for **all** products shall be based on changes in the Producer Price Index identified below, comparing the "Annual" average as computed by the U.S. Bureau of Labor Statistics for the "just passed" calendar year of the contract with the "Annual" average for the year the bid opening was held. Calculation will be rounded to nearest thousandth and will be from information posted on the web by the Bureau of Labor Statistics the last full week of March. If the "Annual" data is not posted, then the "Annual" may be calculated from the data that is posted or an "Annual" as received separately by the State from the U.S. Bureau of Labor Statistics may be used. Detail follows on the PPI, formula, applicable "annuals", etc.:

(continued)

PRICE (Cont'd):

PPI

Series ID: WPU141302
Not Seasonally Adjusted
Group: Transportation Equipment
Item: Completed Vehicles on Purchased Chassis
(Web access: <http://data.bls.gov/labjava/outside.jsp?survey=wp>)

FORMULA

{ Annual average for PPI for “just passed” calendar year }

DIVIDED BY

{ Annual average for PPI for calendar year in which the bid opening was held }

CAP

The amount of an upward price adjustment shall not exceed 5% per year.

PERIODS FOR PRICE ESCALATION

<u>Year of Contract</u>	<u>Time Period</u>
1	No Escalation
2	April 2005 - March 2006
3	April 2006 - March 2007
4	April 2007 - March 2008
5	April 2008 - March 2009
6	April 2009 - March 2010

EXAMPLE

The example below is strictly for illustration purposes. The information, calculations, etc., may not reflect actual changes in the PPI and any allowable adjustments in price, etc., that might occur in the future. Assuming annual Averages as follows:

2003 Annual Average = 137.4
2004 Annual Average = 141.1
2005 Annual Average = 151.9
2006 Annual Average = 160.2
2007 Annual Average = 162.6
2008 Annual Average = 165.0

Adjustment calculation for April 2004 – March 2005:

= { Annual for 2003 } / { Annual for 2003 Bid Opening Year }
= 137.4 / 137.4
= 1.000

ADJUSTMENT FACTOR: 1.000

Prices bid in 2003 and shown on award would be multiplied by 1.000

(There would be NO price adjustment until April 2005!)

Adjustment calculation for April 2005 – March 2006:

= { Annual for 2004 } / { Annual for 2003 Bid Opening Year }
= 141.0 / 137.4
= 1.02692868 = 1.027

ADJUSTMENT FACTOR: 1.027

Prices bid in 2003 and shown on award would be multiplied by 1.027 and prices on orders would be 2.7% higher for period of March 2005 – February 2006.

(continued)

PRICE (cont'd):

PPI Price Adjustment (Cont'd)

Adjustment calculation for April 2006 – March 2007:

$$= \{\text{Annual for 2005}\} / \{\text{Annual for 2003 Bid Opening Year}\}$$

$$= 151.9 / 137.4$$

$$= 1.10553130 = 1.106$$

ADJUSTMENT FACTOR: 1.100

Prices bid in 2003 and shown on award would be multiplied by 1.100 and prices on orders would be 10.0% higher for period of March 2006 – February 2007.

Adjustment calculation for April 2007 – March 2008:

$$= \{\text{Annual for 2006}\} / \{\text{Annual for 2003 Bid Opening Year}\}$$

$$= 160.2 / 137.4$$

$$= 1.16593886 = 1.166$$

ADJUSTMENT FACTOR: 1.150

Prices bid in 2003 and shown on award would be multiplied by 1.150 and prices on orders would be 15.0% higher for period of March 2006 – February 2007.

Platform Price Adjustment - An adjustment in price may be permitted if the manufacturer supplying the contractor undergoes a complete change in platform and adequate, suitable documentation is furnished to the State and the State determines the requested price change is verifiable and is reasonable. Such a price adjustment will be effective when approved by OGS and OSC, and will expire on April 1 when the PPI adjustment is made.

Government Mandated Program Price Adjustment - An adjustment in price may be permitted if a government mandated program such as a new standard for emissions takes effect and suitable documentation is furnished to the State and the State determines the requested price change is verifiable and is reasonable. Such a price adjustment will be effective when approved by OGS and OSC, and will expire on April 1 when the PPI adjustment is made.

Unworkable Price Structure - Should the price structure utilized by the parties become unworkable, detrimental or injurious to the State or result in prices which are not truly reflective of current market conditions, and the price is deemed unreasonable or excessive by the Commissioner, and no adjustment in price is mutually agreeable, the Commissioner reserves the sole right upon 10 days written notice mailed to the contractor to terminate any contract. If the Contractor is unable or unwilling to meet contractual requirements in whole or in part based on an unworkable price structure, he shall immediately notify the State of that fact in order that the State may take appropriate action. Such notification shall be in writing and shall be directed to the Office of General Services, Procurement Services Group. Such notification shall not relieve the Contractor of its responsibilities under the contract.

Limitation - Price adjustments are limited to changes as allowed for in this "Price" clause. Increases in contract costs or prices to compensate for other increases in the cost of doing business, regardless of the cause or nature of such costs to the Contractor, will not be allowed during the contract period.

Other Price Adjustments - No additional, separate adjustment in price for fuel, labor, etc., shall be permitted other than the "PPI Price Adjustment," "Platform Price Adjustment," and "Government Mandated Program Price Adjustment" as described above.

(continued)

VOLUME DISCOUNTS:

Volume discounts are applied per purchase order, cumulatively per customer agency, and cumulatively statewide. Volume discounts shall be defined and applied as follows: Purchase order volume discounts shall be additional discounts applied to individual purchase orders over a specified dollar amount. Cumulative agency volume discounts shall be additional discounts applied to all future orders made by an individual agency once the established volume has been met by that agency. Cumulative statewide volume discounts shall be additional discounts applied to all future orders for all state and non-state orders once an established volume has been met under this contract. The statewide discounts will be determined annually on the anniversary of date of contract award.

PURCHASE AMOUNT	ADDITIONAL VOLUME DISCOUNT
\$1 - \$5,000,000	.25%
\$5,000,001 - \$25,000,000	.50%
\$25,000,001 and above	1%

(continued)

INDEX

Item #1, Van conversion, 16 (child) passenger, 4 rows (gasoline):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Van Con, Inc.	Chevrolet	Van-Con	11

Item #2, Van conversion, 15 (child) passenger, 5 rows (gasoline):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Van-Con, Inc.	Chevrolet	Van-Con	12

Item #3, Van conversion, 16 (child) passenger, CNG/LPG:

No Award

Item #4, Cutaway van, 16 (child) passenger, 4 rows (gasoline):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Arcola Sales & Service	Chevrolet	Mid-Bus	14
Don Brown/Gorman Ent.	Chevrolet	Corbeil	15
Van-Con, Inc.	Chevrolet	Van-Con	16
Don Brown/Gorman Ent.	Ford	Corbeil	17
Arcola Sales & Service	Chevrolet	Collins	18

Item #5, Cutaway van, 16-20 (child) passenger, 4 rows (gasoline):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Matthews/Thomas/Quality	GMC	Thomas	19
Arcola Sales & Service	Chevrolet	Mid Bus	20
Van Con, Inc.	Chevrolet	Van-Con	21
Don Brown/Gorman Ent.	Chevrolet	Corbeil	22
Arcola Sales & Service	Chevrolet	Collins	23
Don Brown/Gorman Ent.	Ford	Corbeil	24

Item #6, Cutaway van, 20 (child) passenger, 5 rows (gasoline):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Arcola Sales & Service	Chevrolet	Mid Bus	25
Don Brown/Gorman Ent.	Chevrolet	Corbeil	26
Don Brown/Gorman Ent.	Ford	Corbeil	27
Van-Con, Inc.	Chevrolet	Van-Con	28

Item #7, Cutaway van, 14 passenger, 5 rows (MFSAB) (gasoline):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Arcola Sales & Service	Chevrolet	Mid Bus	29
Don Brown/Gorman Ent.	Chevrolet	Corbeil	30
Arcola Sales & Service	Chevrolet	Collins	31
Van-Con, Inc.	Chevrolet	Van-Con	32

Item #8, Cutaway van, 22 (child) passenger, 4 rows (gasoline):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Arcola Sales & Service	Chevrolet	Mid Bus	33
Matthews/Thomas/Quality	GMC	Thomas	34
Arcola Sales & Service	Chevrolet	Collins	35
Don Brown/Gorman Ent.	Chevrolet	Corbeil	36

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

AWARD PAGE 9

Item #9, Cutaway van, 28 (child) passenger, 5 rows (gasoline):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Arcola Sales & Service	Chevrolet	Mid Bus	37
Don Brown/Gorman Ent.	Chevrolet	Corbeil	38
Arcola Sales & Service	Chevrolet	Collins	39

Item #10, Cutaway van, 30 (child) passenger, 5 rows (gasoline):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Arcola Sales & Service	Chevrolet	Mid Bus	40
Leonard/Factory Direct	Chevrolet	U.S. Bus	41

Item #11, Van, 16 passenger, 4 rows (diesel):

No Award

Item #12, Cutaway van, 18 (child) passenger, 5 rows (diesel):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Don Brown/Gorman Ent.	Ford	Corbeil	43

Item #13, Cutaway van, 20 (child) passenger, 5 rows (diesel):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Don Brown/Gorman Ent.	Ford	Corbeil	44
Arcola Sales & Service	Ford	Mid Bus	45
Matthews/Thomas/Quality	Ford	Thomas	46

Item #14, Cutaway van, 22 (child) passenger, 4 rows (diesel):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Don Brown/Gorman Ent.	Ford	Corbeil	47
Arcola Sales & Service	Ford	Collins	48
Matthews/Thomas/Quality	Ford	Thomas	49
Arcola Sales & Service	Ford	Mid Bus	50

Item #15, Cutaway van, 14 passenger, 5 section (MFSAB) (diesel):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Leonard/Factory Direct	Ford	U.S. Bus	51
Don Brown/Gorman Ent.	Ford	Corbeil	52

Item #16, Cutaway van, 28 (child) passenger, 5 rows (diesel):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Arcola Sales & Service	Ford	Collins	53
Matthews/Thomas/Quality	Ford	Thomas	54
Leonard/Factory Direct	Ford	U.S. Bus	55
New York Bus Sales	Ford	Blue Bird	56

Item #17, Cutaway van, 30 (child) passenger, 5 rows (diesel):

<u>Contractor</u>	<u>Chassis</u>	<u>Body</u>	<u>Page</u>
Matthews/Thomas/Quality	Ford	Thomas	57
Arcola Sales & Service	Ford	Collins	58
Don Brown/Gorman Ent.	Ford	Corbeil	59
Leonard/Factory Direct	Ford	U.S. Bus	60
New York Bus Sales	Ford	Blue Bird	61

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

REGION LISTING:

Individual purchase orders should be directed to the respective company that was awarded a contract in the county your agency/facility is located in.

Items on Contract	Contractor	Counties
4, 5, 7, 8, 9, 10, 13, 14, 16, 17	Arcola Sales and Service	All counties statewide
4, 5, 6, 7, 8, 9, 12, 13, 14, 15, 17	Don Brown Bus Sales	Albany, Bronx, Clinton, Columbia, Delaware, Dutchess, Essex, Franklin, Fulton, Greene, Hamilton, Herkimer, Kings, Montgomery, Nassau, New York City, Orange, Otsego, Putnam, Queens, Rensselaer, Richmond, Rockland, Saratoga, Schenectady, Schoharie, Suffolk, Sullivan, Ulster, Warren, Washington, Westchester,
	Gorman Enterprises	Allegany, Broome, Cattaraugus, Cayuga, Chautauqua, Chemung, Chenango, Cortland, Erie, Genesee, Jefferson, Lewis, Madison, Monroe, Niagara, Oneida, Onondaga, Ontario, Orleans, Oswego, St Lawrence, Seneca, Steuben, Tioga, Tompkins, Wayne, Yates, Livingston, Wyoming,
10, 15, 16, 17	Factory Direct Bus Sales	Bronx, Dutchess, Kings, Nassau, New York, Orange, Putnam, Queens, Richmond, Rockland, Suffolk, Sullivan, Ulster, Westchester
	Leonard Bus Sales	All counties not covered by Factory Direct
16, 17	New York Bus Sales	All counties not covered by Ramp Transportation
	Ramp Transportation	Bronx, Dutchess, Kings, Nassau, New York City, Orange, Putnam, Queens, Richmond, Rockland, Suffolk, Sullivan, Ulster, Westchester
5, 8, 13, 14, 16, 17	Matthews	All counties not covered by Quality Bus Sales or Thomas Bus Sales
	Quality	Dutchess, Orange, Putnam, Rockland, Sullivan, Ulster, Westchester
	Thomas	Nassau, New York City (including boroughs), Suffolk
1, 2, 4, 5, 6, 7	Van Con, Inc.	All counties statewide

APPROVED NEW YORK STATE FLOOR PLANS:

In addition to the NYS DOT approved bus number indicated on the individual pricing pages, approved floor plan numbers for additional bus configurations selected by the purchaser are available from the NYS DOT or the contractor.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
1.	Type A-1, Class FC-15C-16C (G) (SRW) Bus: Van with Roof Window Conversion; 15 (minimum) <u>or</u> 16-pupil 4 row capacity with forward-facing seats.	\$28,188.89
	Discount from MSRP:	15% off Van-Con option list (4/8/04)
	Pick Up Credit, per bus:	\$50.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E01)Chevrolet CG33405/(E00)Van-Con
NYS DOT Approval No. for this bus or the comparable one:	027-NY-16-00WC-VAN
Capacity, Number of Passengers with 3/1 & 2/2 seating: Seating:	<u>3/1: 16C/12A</u> <u>2/2: 16C/8A</u> 4 rows @39"ea. LH 4 rows @ 30"ea. LH 4 rows @18"ea. RH 4 rows @ 30"ea RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	135" Wheelbase; 216" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 72"; Standard: 65" High: 72"
Unit's GVWR:	9600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT245/75R16(E);4,300-pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT245/75R16(E); 6,084-pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(E13 front; E14 rear)Bridgestone 10 ply
Transmission (Base Item), Make and Model:	(E20) GM MT14L80-E
Engine (Base Item), Make & Model:	(E22) GM Vortec 6000
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 300 HP@4400-rpm; 360#@4000rpm
Alternator [Make, Model and Rating]:	(E09) GM/Delco; 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(E10) 1 @800 CCA
Door (entrance), [Make and Model No.]:	(E11) GM Sedan, 30" wide
Fuel Tank [Capacity-Location]:	(E12) 31 gals, (left side)
Reflector Kit, [Make and Model No]:	(S24); Cortina Tool 219-4
Roof Exit Hatch (Base Item), [Make and Model No]:	(A02); Specialty Mfg. 8915-0200
Seatbelt (ambulatory people), [Make and Model No]:	(S2); Am-Safe 7-100-02/04
Stop Arm/s (power), [Make and Model No]:	(S4); Specialty Mfg. 5400
Warning System (school bus), [Make and Model No]:	(S25); In Power SBF90

CONTRACTOR, ITEM 1: VAN-CON, INC.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
2.	Type A-1, Class FC-15C-16C (G) (SRW) Bus: Van with Roof Window Conversion; 15-16 (maximum) pupil, 5 row capacity with forward-facing seats.	\$29,500.75
	Discount from MSRP	15% off Van-Con option list (4/8/04)
	Pick Up Credit, per bus:	\$50.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination NYS DOT Approval No. for this bus or the comparable one:	(E02) Chevrolet CG33705/(E00) Van-Con 031-NY-20-00WC-VAN
Capacity, Number of Passengers with 3/1 seating: Seating:	<u>3/1: 15C/15A</u> 5 rows @39"ea., LH 5 rows @18"ea., RH
Unit's Wheelbase; Overall Length (Bumper to Bumper): Body Width (Inside); Body Headroom, standard and high: Unit's GVWR:	155" Wheelbase; 242" OAL IW: 72 in.; Standard: 65" High: 72" 9600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]: Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]: Tires, [Code No.; Make and Tread Designation]:	LT245/75R16 (E); 4,300 pounds/Axle LT245/75R16 (E); 6,084 pounds/Axle (E13 front/E14 rear), Bridgestone 10 ply
Transmission (Base Item), Make and Model: Engine (Base Item), Make & Model: Size [Liter]; HP and Torque (Ft. Lbs.) Rating: Alternator [Make, Model and Rating]:	(E20) GM MT14680-E (E22) GM Vortec 6000 6.0 L; 300HP@4400 rpm; 360#@4000rpm (E09); GM/Delco; 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]: Door (entrance), [Make and Model No.]: Fuel Tank [Capacity-Location]:	(E10) 1 @ 800 CCA (E11) GM Sedan, 30" wide (E12) 31-gals, (left side)
Reflector Kit, [Make and Model No]: Roof Exit Hatch (Base Item), [Make and Model No]: Seatbelt (ambulatory people), [Make and Model No]: Stop Arm/s (power), [Make and Model No]: Warning System (school bus), [Make and Model No]:	(S14); Cortina Tool 219-4 (A02); Specialty Mfg. 8915-0200 (S2); Am-Safe 7-1000-02/04 (S4) Specialty Mfg. 5400 (S25) In Power SBF90

CONTRACTOR, ITEM 2: VAN-CON, INC.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

AWARD PAGE 13

Item

No. Description

3. **Type A-1, Class FC-15C-16C (Alt. Fuel) (SRW) Bus:**
 (CNG/LPG), Van body with roof window conversion;
 15 (minimum) or 16-pupil capacity with forward-facing seats.

"No Award"

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
4.	Type A-1, Class FC-16C/8A (G) (SRW) Bus: Cutaway Van Chassis, Body Conversion Style; 4 row, minimum 16 pupil capacity with forward-facing seats.	\$28,250.00
	Discount from MSRP	39% off Mid Bus Option Price List Dated 1/1/04
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(4961558) Chevrolet CG33503/ (4961558)Mid Bus Guide SW4/6
Approval No. for this bus or the comparable one:	167-NY-16-00WC-MID
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 16C/8A</u> 4 rows @26"ea., LH 4 rows @26"ea. RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 228" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 78"; Standard: 74"; High: 74"
Unit's GVWR:	9600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	245/75R16; 4,410 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	245/75R16: 6,084 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHH front; YHH rear) OEM A/W Radial
Transmission (Base Item), Make and Model:	(MTI) GM MTI
Engine (Base Item), Make & Model:	(8OZ) GM Vortec 4800
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	4.8L; 275HP@5200 rpm, 290#@4000 rpm
Alternator [Make, Model and Rating]:	Standard GM Delco; 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(CH4A-1) 1 rated @ 800 CCA
Door (entrance), [Make and Model No.]:	(847536) Mid Bus Standard; 24" wide
Fuel Tank [Capacity-Location]:	Standard 33 gals, (rear)
Reflector Kit, [Make and Model No]:	(813194); Standard Fusee Corp 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(815021) Am-Safe 1324-60
Stop Arm/s (power), [Make and Model No]:	(813701) Specialty 5400
Warning System (school bus), [Make and Model No]:	(813827) Weldon 7000

CONTRACTORS, ITEM 4: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
4.	Type A-1, Class FC-16C/8A (G) (SRW) Bus: Cutaway Van Chassis, Body Conversion Style; 4 row, minimum 16 pupil capacity with forward-facing seats.	\$28,600.00
	Discount from MSRP	21% off Corbeil Option List/GM Body (3/15/04) and All Options (TG33503 139" wb C6Y) (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(C6Y) Chevrolet/GMC C/TG33503/ (SW4) Corbeil G139SWS4UG)
NYS DOT Approval No. for this bus or the comparable one:	117-NY-16-00WC-EMC
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 16C/8A</u> 4 rows @ 30"ea, LH 4 rows @ 30"ea RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 217.5" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 75.5"; Standard: 74"; High: 74"
Unit's GVWR:	9,600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHH front; YHH rear) Bridgestone M&S
Transmission (Base Item), Make and Model:	(MTI) General Motors
Engine (Base Item), Make & Model:	(LR4) General Motors
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	4.8L; 285-HP@5600rpm, 295#@4000rpm
Alternator [Make, Model and Rating]:	(Std) General Motors; 145-amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(UA1) 1 @ 800 CCA
Door (entrance), [Make and Model No.]:	(Base) Corbeil standard, 24" wide
Fuel Tank [Capacity-Location]:	(Base) 33-gals, (left side)
Reflector Kit, [Make and Model No]:	James King and Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind 1324
Stop Arm/s (power), [Make and Model No]:	(3921) (E) Specialty Mfg. 5500
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000

CONTRACTORS, ITEM 4: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
4.	Type A-1, Class FC-16C/8A (G) (SRW) Bus: Cutaway Van Chassis, Body Conversion Style; 4 row, minimum 16 pupil capacity with forward-facing seats.	\$28,607.10
	Discount from MSRP	15% off Van-Con option list (4/8/04)
	Pick Up Credit, per bus:	\$50.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination (E03) Chevrolet CG33503/(E00)Van-Con
 NYS DOT Approval No. for this bus or the comparable one: 047-NY-16-00WC-VAN

Capacity, Number of Passengers with 3/1 & 2/2 seating: 3/1: 16C/12A 2/2: 16C/8A
 Seating: 4 rows @39" ea LH 4 rows @30"ea LH
 4 rows @18" ea RH 4 rows @30"ea RH

Unit's Wheelbase; Overall Length (Bumper to Bumper): 139" Wheelbase; 229" OAL
 Body Width (Inside); Body Headroom, standard and high: IW: 80 in.; Standard: 72" High: 74"
 Unit's GVWR: 9600 lbs.
 Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]: LT245/75R16(E); 4,300 pounds/Axle
 Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]: LT245/75R16(E); 6,084 pounds/Axle
 Tires, [Code No.; Make and Tread Designation]: (E13 front/E14 rear) Bridgestone 10 ply
 Transmission (Base Item), Make and Model: (E20) GM - MT14L80-E
 Engine (Base Item), Make & Model: (E08) GM Vortec 4800
 Size [Liter]; HP and Torque (Ft. Lbs.) Rating: 4.8L; 270HP@5200 rpm, 285#@4000 rpm
 Alternator [Make, Model and Rating]: (E09) GM/Delco; 145-amps
 Batteries [Model or Code No.; No. and CCA capacity of each]: 1 rated @ 800 CCA
 Door (entrance), [Make and Model No.]: (E15) Van-Con, Inc.; 30" wide
 Fuel Tank [Capacity-Location]: (E21) 33 gals, (left side)
 Reflector Kit, [Make and Model No]: (S24) Cortina Tool 219-4
 Roof Exit Hatch (Base Item), [Make and Model No]: (A02) Specialty Mfg. 8915-0200
 Seatbelt (ambulatory people), [Make and Model No]: (S2) Am-Safe 7-1000-02/04
 Stop Arm/s (power), [Make and Model No]: (S4) Specialty Mfg. 5400
 Warning System (school bus), [Make and Model No]: (S25) In-Power 5BF90

CONTRACTOR, ITEM 4: VAN-CON, INC.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
4.	Type A-1, Class FC-16C/8A (G) (SRW) Bus: Cutaway Van Chassis, Body Conversion Style; 4 row, minimum 16 pupil capacity with forward-facing seats.	\$28,880.00
	Discount from MSRP	21% off Corbeil option list for Ford (3/15/04) and Options - E35-E350 Super Duty 138" wb SRW (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E35) Ford E350/ (SW4) Corbeil F138SWS4VG)
NYS DOT Approval No. for this bus or the comparable one:	609-NY-16-00WC-EMC
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 16C/8A</u> 4 rows @30"ea, LH 4 rows @30" ea, RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	138" Wheelbase; 217.5" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 75.5"; Standard: 74"; High: 74"
Unit's GVWR:	9,600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T38) Hankook M&S
Transmission (Base Item), Make and Model:	(44E) Ford Motor Company
Engine (Base Item), Make & Model:	(99L) Ford Motor Company
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	5.4L; 255HP@4500-rpm, 350#@2500rpm
Alternator [Make, Model and Rating]:	Ford Motor Company- 130 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	1 rated @ 650 CCA
Door (entrance), [Make and Model No.]:	Corbeil Standard, 24" wide
Fuel Tank [Capacity-Location]:	(Base) 37-gals, (rear)
Reflector Kit, [Make and Model No]:	James King & Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind 1324
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty Mfg. 5500
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000

CONTRACTORS, ITEM 4: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
4.	Type A-1, Class FC-16C/8A (G) (SRW) Bus: Cutaway Van Chassis, Body Conversion Style; 4 row, minimum 16 pupil capacity with forward-facing seats.	\$29,250.00
	Discount from MSRP	39% off Collins Bus Corp Option Listing NY State Bid 2004
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(G33503) Chevrolet CG33503/ (CHX4) Collins Bantam CHX4
NYS DOT Approval No. for this bus or the comparable one:	114-NY-16-00WC-CBC
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 16C/8A</u> 4 rows @ 30"ea. LH 4 rows @ 30"ea., RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 238" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 78"; Standard: 75"; High: 75"
Unit's GVWR:	9600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	245/75R16.0(E); 4,410 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	245/75R16.0(E); 4,410 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHH front; YHH rear) OEM A/W Radial
Transmission (Base Item), Make and Model:	(MTI) GM MTI
Engine (Base Item), Make & Model:	(842) GM V8 Vortec 4800
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	4.8L; 275 HP@5200rpm,290'#@4000rpm
Alternator [Make, Model and Rating]:	Standard GM Delco, 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(4A1) 1 @ 800 CCA
Door (entrance), [Make and Model No.]:	(260-01-03) Collins Standard 24" wide
Fuel Tank [Capacity-Location]:	(Standard) 33 gals, (rear)
Reflector Kit, [Make and Model No]:	(660-12) Peterson 449-1
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(740-11) Am-Safe I-1740-02
Stop Arm/s (power), [Make and Model No]:	(840-01) Specialty 5400
Warning System (school bus), [Make and Model No]:	(520-21) Nova Bus-85YSIL

CONTRACTOR, ITEM 4: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
5.	Type A-1, Class FC-16C/10A (G) (SRW) Bus: Cutaway van chassis, body conversion style; 4 row minimum 16 pupil capacity with forward-facing seats.	\$27,822.00
	Discount from MSRP	15% off Thomas Built Buses Electronic Data Book and Bus Depot Price list
	Pick Up Credit, per bus: Delivery:	\$50.00 150 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	GMC 3500 cutaway van/ 040LS Thomas Minotour 1105-NY-20-00WC-TBB
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 3/2 seating: Seating:	<u>3/2: 20C/12A</u> 4 rows @39"ea, LH 4 rows @26" ea, RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 238" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 78"; Standard: 73"; High: N/A
Unit's GVWR:	9,600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	245/75R16(E); 6,084 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	245/75R16(E); 6,084 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHH front, YHH rear) Bridgestone A/S
Transmission (Base Item), Make and Model:	MT1 General Motors 4L80E
Engine (Base Item), Make & Model:	LR4 GM 4800
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	4.8L; 285HP@5600rpm, 295'#@4000rpm
Alternator [Make, Model and Rating]:	KG3 Delphi; 145-amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	1 rated @ 800 CCA
Door (entrance), [Make and Model No.]:	Thomas outward opening, 24" wide
Fuel Tank [Capacity-Location]:	35-gals, (center)
Reflector Kit, [Make and Model No]:	Safelite
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	Am-Safe ABLP 1303-4007
Stop Arm/s (power), [Make and Model No]:	Specialty 5500
Warning System (school bus), [Make and Model No]:	Weldon 7000

**CONTRACTORS, ITEM 5: MATTHEWS BUSES/QUALITY BUS SALES/
THOMAS BUS SALES**

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
 Van & Cutaway Van Style (2004 Through 2010 Model Years)
 (Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
5.	Type A-1, Class FC-16C/10A (G) (SRW) Bus: Cutaway van chassis, body conversion style; 4 row minimum 16 pupil capacity with forward-facing seats.	\$28,220.00
	Discount from MSRP	38% off Mid Bus Option Price List Dated 1/1/04
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(4961558) Chevrolet CG33503/ (4961558)Mid Bus Guide SW4/6
Approval No. for this bus or the comparable one:	166-NY-16-00WC-MID
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 16C/10A</u> 2 rows @34" ea., and 2 rows @26" LH 4 rows @26" ea. RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 228" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 78"; Standard: 74"; High: 74"
Unit's GVWR:	9600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	245/75R16 (E); 4,410 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	245/75R16 (E); 6,084 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHH front; YHH rear) OEM A/W Radial
Transmission (Base Item), Make and Model:	(MTI) GM MTI
Engine (Base Item), Make & Model:	(8VZ) GM V8 Vortec 4800
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	4.8L; 275 HP@5200 rpm, 290#@4000rpm
Alternator [Make, Model and Rating]:	Standard GM Delco; 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(CH4A-1) 1 rated @ 800 CCA
Door (entrance), [Make and Model No.]:	(847536) Mid Bus Standard; 24" wide
Fuel Tank [Capacity-Location]:	Standard 33 gals, (rear)
Reflector Kit, [Make and Model No]:	(813194); Standard Fusee Corp 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(81502) Am-Safe 1324-60
Stop Arm/s (power), [Make and Model No]:	(813701) Specialty 5400
Warning System (school bus), [Make and Model No]:	(813827) Weldon 7000

CONTRACTOR, ITEM 5: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
 Van & Cutaway Van Style (2004 Through 2010 Model Years)
 (Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
5.	Type A-1, Class FC-16C/10A (G) (SRW) Bus: Cutaway van chassis, body conversion style; 4 row minimum 16 pupil capacity with forward-facing seats.	\$28,607.10
	Discount from MSRP	15% off Van-Con option list (4/8/04)
	Pick Up Credit, per bus:	\$50.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination (E03) Chevrolet CG33503/(E00) Van-Con
 NYS DOT Approval No. for this bus or the comparable one: 047-NY-16-00WC-VAN

Capacity, Number of Passengers with 3/1 & 2/2 seating: 3/1: 16C/12A 2/2: 16C/8A
 Seating: 4 rows @39"ea., LH 4 rows @ 30"ea., LH
 4 rows @18"ea, RH 4 rows @ 30"ea, RH

Unit's Wheelbase; Overall Length (Bumper to Bumper): 139" Wheelbase; 229" OAL
 Body Width (Inside); Body Headroom, standard and high: IW: 80 in.; Standard: 72"; High: 74"
 Unit's GVWR: 9600 lbs.
 Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]: LT245/75R16(E); 4,300 pounds/Axle
 Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]: LT245/75R16(E); 6,084 pounds/Axle
 Tires, [Code No.; Make and Tread Designation]: (E13 front/E14 rear) Bridgestone 10 ply
 Transmission (Base Item), Make and Model: (E20) GM MT14680-E
 Engine (Base Item), Make & Model: (E08) GM Vortec 4800
 Size [Liter]; HP and Torque (Ft. Lbs.) Rating: 4.8L; 270 HP@5200 rpm, 285'#@4000rpm
 Alternator [Make, Model and Rating]: (E09) GM/Delco, 145 amps
 Batteries [Model or Code No.; No. and CCA capacity of each]: (E10)1 rated @ 800 CCA
 Door (entrance), [Make and Model No.]: (E15), Van-Cor, Inc.; 30" wide
 Fuel Tank [Capacity-Location]: (E21) 33-gals, left side
 Reflector Kit, [Make and Model No]: (S24) Cortina Tool 219-4
 Roof Exit Hatch (Base Item), [Make and Model No]: (A02) Specialty Mfg. 8915-0200
 Seatbelt (ambulatory people), [Make and Model No]: (S2) Am-Safe 7-1000-02/04
 Stop Arm/s (power), [Make and Model No]: (S4) Specialty Mfg. 5400
 Warning System (school bus), [Make and Model No]: (S25) In Power SBF 90

CONTRACTOR, ITEM 5: VAN-CON, INC.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item No.</u>	<u>Description</u>	<u>Unit Price</u>
5.	Type A-1, Class FC-16C/10A (G) (SRW) Bus: Cutaway van chassis, body conversion style; 4 row minimum 16 pupil capacity with forward-facing seats.	\$29,085.00
	Discount from MSRP	21% Corbeil Option List GM Body (3/15/04) and All Options - TG33503 139" wb C6Y (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination (C6Y) Chevrolet/GMC C/TG33503/
(SW4) Corbeil G139WS324UG
NYS DOT Approval No. for this bus or the comparable one: 324-NY-16-00WC-EMC

Capacity, Number of Passengers with 2/2 seating: 2/2: 16C/8A
Seating: 4 rows @30" ea LH
4 rows @30" ea RH

Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 217.5" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 75.5"; Standard: 74"; High: 74"
Unit's GVWR:	9,600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHH front; YHH rear) Bridgestone M&S
Transmission (Base Item), Make and Model:	(MTI) General Motors
Engine (Base Item), Make & Model:	(LR4) General Motors
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	4.8L; 285HP@5600rpm, 295'#@4000rpm
Alternator [Make, Model and Rating]:	General Motors, 145-amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(UA1) 1 rated @ 800 CCA
Door (entrance), [Make and Model No.]:	(Base) Corbeil Standard Door, 24" wide
Fuel Tank [Capacity-Location]:	(Base) 33 gals, (left side)
Reflector Kit, [Make and Model No]:	James King and Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	Beams Ind. 1324
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty Mfg. 5500
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000

CONTRACTORS, ITEM 5: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
5.	Type A-1, Class FC-16C/10A (G) (SRW) Bus: Cutaway van chassis, body conversion style; 4 row minimum 16 pupil capacity with forward-facing seats.	\$29,220.00
	Discount from MSRP	38% off Collins Bus Corp Option Listing NY State Bid 2004
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(G33503) Chevrolet CG33503/ (CHX4) Collins Bantam CHX4 113-NY-16-00WC-CBC
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 16C/10A</u> 2 rows @34" ea., and 2 rows @30" ea LH 4 rows @30"ea., RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 238" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 78"; Standard: 75"; High: 75"
Unit's GVWR:	9600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	245/75R16.0(E); 4,410 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	245/75R16.0(E); 4,410 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHH front; YHH rear) OEM A/W Radial
Transmission (Base Item), Make and Model:	(MTI) GM MTI
Engine (Base Item), Make & Model:	(842) GM V8 Vortec 4800
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	4.8 L; 275HP@5200rpm, 290#@4000rpm
Alternator [Make, Model and Rating]:	Standard GM Delco; 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(4A1) 1 rated @ 800 CCA
Door (entrance), [Make and Model No.]:	(260-01-03) Collins Standard, 24" wide
Fuel Tank [Capacity-Location]:	Standard, 33 gals, (rear)
Reflector Kit, [Make and Model No]:	(660-12) Peterson 449-1
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(740-11; Am-Safe I-1740-02
Stop Arm/s (power), [Make and Model No]:	(840-01) Specialty 5400
Warning System (school bus), [Make and Model No]:	(520-21) Nova Bus 85YSIL

CONTRACTOR, ITEM 5: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
5.	Type A-1, Class FC-16C/10A (G) (SRW) Bus: Cutaway van chassis, body conversion style; 4 row minimum 16 pupil capacity with forward-facing seats.	\$29,290.00
	Discount from MSRP	21% off Corbeil Option List Ford (3/15/04) and Options E35, E350 Super Duty 138" wb SRW (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E35) Ford E350/ (SW4) Corbeil F1385W5324UG)
NYS DOT Approval No. for this bus or the comparable one:	609-NY-16-00WC-EMC
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 16C/8A</u> 4 rows @30"ea LH 4 rows @30"ea RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	138" Wheelbase; 217.5" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 75.5"; Standard: 74"; High: 74"
Unit's GVWR:	9,600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T38) Hankook M&S
Transmission (Base Item), Make and Model:	(44E) Ford Motor Company
Engine (Base Item), Make & Model:	(99L) Ford Motor Company
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	5.4L; 255HP@4500rpm, 350#@2500rpm
Alternator [Make, Model and Rating]:	(Std) Ford Motor Co.- 130 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(Base) 1 rated @650 CCA
Door (entrance), [Make and Model No.]:	(Base) Corbeil Standard 24" wide
Fuel Tank [Capacity-Location]:	(Base) 37-gals, (rear)
Reflector Kit, [Make and Model No]:	James King & Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind. 1324
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty Mfg. 5500
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000

CONTRACTORS, ITEM 5: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
6.	Type A-1, Class FC-20C/10A (G) (SRW) Bus: Cutaway van chassis, body conversion style; 5 row, 20C/10A-pupil with forward-facing seats.	\$28,770.00
	Discount from MSRP	33% off Mid Bus Option Price List Dated 1/1/04
	Pick Up Credit, per bus:	\$170.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(491560) Chevrolet CG33503/ (491566) Mid Bus Guide SW5/0
NYS DOT Approval No. for this bus or the comparable one:	159-NY-20-00WC-MID
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 20C/10A</u> 5 rows @26" ea., LH 5 rows @26" ea., RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 250" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 78"; Standard: 74"; High: 74"
Unit's GVWR:	9,600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	245/75R16.0; 4,410 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	245/75R16.0; 6,084 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHH front; YHH rear) OEM A/W Radial
Transmission (Base Item), Make and Model:	(MTI) GM MTI
Engine (Base Item), Make & Model:	(8VZ) GM V8 Vortec 4800
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	4.8L; 275HP@5200 rpm, 290#@4000 rpm
Alternator [Make, Model and Rating]:	GM Delco; 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(CH4A-1) 1 rated @ 800 CCA
Door (entrance), [Make and Model No.]:	847536; Mid Bus Standard, 24" wide
Fuel Tank [Capacity-Location]:	33 gals, (rear)
Reflector Kit, [Make and Model No]:	(813194), Standard Fusee Corp 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(815021); Am-Safe 1324-60
Stop Arm/s (power), [Make and Model No]:	(813701); Specialty 5400
Warning System (school bus), [Make and Model No]:	(81327); Weldon 7000

CONTRACTOR, ITEM 6: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item No.</u>	<u>Description</u>	<u>Unit Price</u>
6.	Type A-1, Class FC-20C/10A (G) (SRW) Bus: Cutaway van chassis, body conversion style; 5 row, 20C/10A-pupil with forward-facing seats.	\$29,050.00
	Discount from MSRP	21% off Corbeil Option list GM body (3/15/04) and All Options - TG33503 139" wb C6Y (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination (C6Y) Chevrolet/GMC C/TG33503/
(SW5) Corbeil G139WS5UG)

NYS DOT Approval No. for this bus or the comparable one: 102-NY-20-00WC-EMC

Capacity, Number of Passengers with 2/2 seating: 2/2: 20C/10A
Seating: 5 rows @30"ea, LH
5 rows @30"ea, RH

Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 243" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 75.5"; Standard: 68"; High: 74"
Unit's GVWR:	9,600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHH front, YHH rear) Bridgestone M&S
Transmission (Base Item), Make and Model:	(MTI) General Motors
Engine (Base Item), Make & Model:	(LR4) General Motors
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	4.8L; 285HP@5600rpm, 295'#@4000rpm
Alternator [Make, Model and Rating]:	(Base) General Motors, 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(UA1) 1 rated @800 CCA
Door (entrance), [Make and Model No.]:	(Base) Corbeil Standard, 24" wide
Fuel Tank [Capacity-Location]:	(Base) 33-gals, (left side)
Reflector Kit, [Make and Model No]:	James King & Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind 1324
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty Mfg. 5500
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000

CONTRACTORS, ITEM 6: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
6.	Type A-1, Class FC-20C/10A (G) (SRW) Bus: Cutaway van chassis, body conversion style; 5 row, 20C/10A-pupil with forward-facing seats.	\$29,230.00
	Discount from MSRP	21% off Corbeil option list Ford (3/15/04) and Options E35, E350 Super Duty, 138" wb SRW (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E35) Ford E350/ (SW5) Corbeil F138SWS5UG 627-NY-20-00WC-EMC
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 20C/10A</u> 5 rows @30"ea, LH 5 rows @30"ea, RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	138" Wheelbase; 243" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 75.5"; Standard: 68"; High: 74"
Unit's GVWR:	9,600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT245/75R16.0(E); 6,084 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T38) Hankook M&S
Transmission (Base Item), Make and Model:	(44E) Ford Motor Co.
Engine (Base Item), Make & Model:	(99L) Ford Motor Co.
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	5.4L; 255HP@4000rpm, 350#@2500rpm
Alternator [Make, Model and Rating]:	(Base) Ford Motor Co., 130-amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(Base) 1 rated @ 650 CCA
Door (entrance), [Make and Model No.]:	(Base) Corbeil Standard, 24" wide
Fuel Tank [Capacity-Location]:	(Base) 37-gals, (rear)
Reflector Kit, [Make and Model No]:	James King and Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind. 1324
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty Mfg. 5500
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000

CONTRACTORS, ITEM 6: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
6.	Type A-1, Class FC-20C/10A (G) (SRW) Bus: Cutaway van chassis, body conversion style; 5 row, 20C/10A-pupil with forward-facing seats.	\$29,807.10
	Discount from MSRP	15% off Van-Con option list (4//8/04)
	Pick Up Credit, per bus:	\$50.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E03) Chevrolet CG33503/(E00) Van-Con
NYS DOT Approval No. for this bus or the comparable one:	042-NY-20-00WC-VAN
Capacity, Number of Passengers with 3/1 & 2/2 seating:	<u>3/1: 20C/15A</u> <u>2/2: 20C/10A</u>
Seating:	5 rows @39"ea. LH 5 rows @ 30"ea LH 5 rows @18" ea RH 5 rows @ 30"ea RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 258" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 77"; Standard: 65"; High: 72"
Unit's GVWR:	9600 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT245/75R16(E); 4,300 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT245/75R16(E); 6,084 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(E13 front, E14 rear) Bridgestone 10 ply
Transmission (Base Item), Make and Model:	(E20) GM MT14L80-E
Engine (Base Item), Make & Model:	(E08) GM Vortec 4800
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	4.8 L; 270 HP@5200 rpm;285#@4000rpm
Alternator [Make, Model and Rating]:	(E09) GM/Delco; 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(E10) 1 rated @800 CCA
Door (entrance), [Make and Model No.]:	(E15) Van-Con, Inc., 30" wide
Fuel Tank [Capacity-Location]:	(E21) 33 gals (left side)
Reflector Kit, [Make and Model No]:	(S24) Cortina Tool 219-4
Roof Exit Hatch (Base Item), [Make and Model No]:	(A02) Specialty Mfg. 8915-0200
Seatbelt (ambulatory people), [Make and Model No]:	(S2) Am-Safe 7-1000-02/04
Stop Arm/s (power), [Make and Model No]:	(S4) Specialty Mfg. 5400
Warning System (school bus), [Make and Model No]:	(S25) In-Power SBF 90

CONTRACTOR, ITEM 6: VAN-CON, INC.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
7.	Type A-1 or 2, Class FC-14C-14C (G) (DRW) Bus: Cutaway van chassis, body conversion; MFSAB; maximum 14C/14A capacity with 5 row section forward-facing seats.	\$30,500.00
	Discount from MSRP	20% off Mid Bus Option Price List Dated 1/1/04
	Pick Up Credit, per bus: Delivery:	\$175.00 180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(4961584) Chevrolet CG33503/ (496158) Mid Bus Guide DW 5/0 165-NY-14-00WC-MID
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 14C/14A</u> 2 rows @34"ea., and 3 rows @26"ea. LH 2 rows @34"ea., and 3 rows @26"ea. RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 250" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 74"; High: 74"
Unit's GVWR:	10,000 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16.0; 4,380 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16.0; 7,980 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHP front; YHP rear) OEM A/S Radial
Transmission (Base Item), Make and Model:	(MTI) GM MTI
Engine (Base Item), Make & Model:	(8VZ) GM Vortec 6000
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0 L; 300 HP@4400rpm, 360#@4000rpm
Alternator [Make, Model and Rating]:	GM Delco, 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	1 @ rated @800 CCA
Door (entrance), [Make and Model No.]:	(847536) Mid Bus Standard, 24" wide
Fuel Tank [Capacity-Location]:	33 gals, (rear)
Reflector Kit, [Make and Model No]:	(813194) Standard Fusee Corp 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(815021) Am-Safe 1324-60
Stop Arm/s (power), [Make and Model No]:	N/A
Warning System (school bus), [Make and Model No]:	N/A

CONTRACTOR, ITEM 7: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item No.</u>	<u>Description</u>	<u>Unit Price</u>
7.	Type A-1 or 2, Class FC-14C-14C (G) (DRW) Bus: Cutaway van chassis, body conversion; MFSAB; maximum 14C/14A capacity with 5 row section forward-facing seats.	\$31,420.00
	Discount from MSRP	21% off Corbeil Option list GM (3/15/04) and Options TG33503 139" wb C7L DRW (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(C7A) Chevrolet/GMC C/TG33503/ (DWS) Corbeil G139DWS5UG
NYS DOT Approval No. for this bus or the comparable one:	142-NY-14-00WC-EMC
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 14C/14A</u> 4 rows @ 34" ea, LH 3 rows @ 34" ea, RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 243" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 72.5"; High: 78"
Unit's GVWR:	10,000 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT225/75R16.0(D); 4,380 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT225/75R16.0(D); 7,980 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHP front; YHP rear) Uniroyal M&S
Transmission (Base Item), Make and Model:	(MTI) General Motors
Engine (Base Item), Make & Model:	(LQ4) General Motors
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 300HP@4400rpm, 360'#@4000rpm
Alternator [Make, Model and Rating]:	(Base) General Motors, 145-amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(UA1) 1 rated @ 800 CCA
Door (entrance), [Make and Model No.]:	(Base) Corbeil Standard, 24" wide
Fuel Tank [Capacity-Location]:	(Base) 33-gals, (left side)
Reflector Kit, [Make and Model No]:	James King and Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind. 1324
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty Mfg. 5500
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000

CONTRACTORS, ITEM 7: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
7.	Type A-1 or 2, Class FC-14C-14C (G) (DRW) Bus: Cutaway van chassis, body conversion; MFSAB; maximum 14C/14A capacity with 5 row section forward-facing seats.	\$32,220.00
	Discount from MSRP	20% off Collins Bus Corp Option Listing NY State Bid 2004
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(G33503) Chevrolet CG33503/ (C5X5) Collins Super Bantam 5 110-NY-14-00WC-CBC
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 14C/14A</u> 3 rows @37" ea. and 1 row @ 24" ea., RH 3 rows @37" ea and 1 row @ 24" ea., LH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 260" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 91"; Standard: 77" High: 77"
Unit's GVWR:	12,000 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16.0(D); 4,670 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16.0(D); 8,600 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHP front; YHP rear) OEM A/S Radial
Transmission (Base Item), Make and Model:	(MTI) GM MTI
Engine (Base Item), Make & Model:	(847) GM Vortec 6000
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0 L; 300HP@4400rpm, 360#@4000rpm
Alternator [Make, Model and Rating]:	(Standard) GM Delco; 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(4A1) 1 rated @ 800 CCA
Door (entrance), [Make and Model No.]:	(260-01-03) Collins Standard, 24" wide
Fuel Tank [Capacity-Location]:	(Standard) 33-gals, (rear)
Reflector Kit, [Make and Model No]:	(660-12) Peterson 449-1
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(740-11) Am-Safe I-1740-02)
Stop Arm/s (power), [Make and Model No]:	N/A
Warning System (school bus), [Make and Model No]:	N/A

CONTRACTOR, ITEM 7: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
7.	Type A-1 or 2, Class FC-14C-14C (G) (DRW) Bus: Cutaway van chassis, body conversion; MFSAB; maximum 14C/14A capacity with 5 row section forward-facing seats.	\$33,373.90
	Discount from MSRP	15% off Van-Con option list (4/8/0/4)
	Pick Up Credit, per bus:	\$50.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination NYS DOT Approval No. for this bus or the comparable one:	(E05) Chevrolet CF33803/(E00) Van Con 052-NY-30-00WC-VAN
Capacity, Number of Passengers with 3/3 & 3/2 seating: Seating:	<u>3/3 and 3/2: 14C/14A</u> 3 rows @ 39" ea and 1 @ 30", LH 3 rows @ 39" ea and 1 @ 30", RH
Unit's Wheelbase; Overall Length (Bumper to Bumper): Body Width (Inside); Body Headroom, standard and high: Unit's GVWR:	159" Wheelbase; 258" OAL IW: 91"; Standard: 72"; High: 74" 12,000 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]: Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]: Tires, [Code No.; Make and Tread Designation]: Transmission (Base Item), Make and Model: Engine (Base Item), Make & Model: Size [Liter]; HP and Torque (Ft. Lbs.) Rating: Alternator [Make, Model and Rating]: Batteries [Model or Code No.; No. and CCA capacity of each]: Door (entrance), [Make and Model No.]: Fuel Tank [Capacity-Location]: Reflector Kit, [Make and Model No]: Roof Exit Hatch (Base Item), [Make and Model No]: Seatbelt (ambulatory people), [Make and Model No]: Stop Arm/s (power), [Make and Model No]: Warning System (school bus), [Make and Model No]:	LT225/75R16(E); 4,300 pounds/Axle LT225/75R16(E); 8,600 pounds/Axle (E06 front; E07 rear) Bridgestone 10 ply (E20) GM Mt 14L80-E (E22) GM Vortec 6000 6.0L; 300 H @4400rpm, 360#@4000 rpm (E09) GM/Delco; 145 amps (E10) 1 rated @800 CCA (E15) Van-Con, Inc., 30" wide (E21) 33 gals, (left side) (S24) Cortina Tool 219-4 (A02) Specialty Mfg. 8915-0200 (S2) Am-Safe 7-1000-02/04 (S4) Specialty Mfg. 5400 (S25) In-Power SBF90

CONTRACTOR, ITEM 7: VAN-CON, INC.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
8.	Type A-2, Class FC-22C/14A (G) (DRW) Bus: Cutaway van chassis, body conversion style; 4 row minimum 22 pupil capacity with forward-facing seats.	\$30,770.00
	Discount from MSRP	36% off Mid Bus Option Price List Dated 1/1/04
	Pick Up Credit, per bus: Delivery:	\$175.00 180 days A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(4961586) Chevrolet CG33503/ (4961586) Mid Bus Guide DW 4/6 170-NY-22-00WC-MID
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 3/2 seating: Seating:	<u>3/2: 22C/14A</u> 3 rows @39"ea. and 1 row @26"ea. RH 3 rows @39"ea. and 1 row @26"ea. LH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 228" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 74"; High:
Unit's GVWR:	12,000 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16; 4,670 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16; 8,600 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHP front, YHP front) OEM A/S Radial
Transmission (Base Item), Make and Model:	(MTI) GM MTI
Engine (Base Item), Make & Model:	(8VZ) GM Vortec 6000
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0 L; 300HP@4400rpm, 360#@4000rpm
Alternator [Make, Model and Rating]:	GM Delco, 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	1 rated @800 CCA
Door (entrance), [Make and Model No.]:	(847536) Mid Bus Standard, 24" wide
Fuel Tank [Capacity-Location]:	33 gals, (rear)
Reflector Kit, [Make and Model No]:	(813194) Standard Fusee Corp. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(815021) Am-Safe 1324-60
Stop Arm/s (power), [Make and Model No]:	(813701) Specialty 5400
Warning System (school bus), [Make and Model No]:	(813827) Weldon 7000

CONTRACTOR, ITEM 8: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
8.	Type A-2, Class FC-22C/14A (G) (DRW) Bus: Cutaway van chassis, body conversion style; 4 row minimum 22 pupil capacity with forward-facing seats.	\$31,746.00
	Discount from MSRP	15% off Thomas Built Buses Electronic Data Book and Bus Depot price list
	Pick Up Credit, per bus:	\$50.00
	Delivery:	150 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination NYS DOT Approval No. for this bus or the comparable one:	GMC 3500 cutaway/041 MS Thomas Mino 1040-NY-22-00WC-TBB
Capacity, Number of Passengers with 3/3 seating: Seating:	<u>3/3; 22C/16A</u> 3 rows @39"ea and 1 row @36", LH 3 rows @39"ea and 1 row @36", RH
Unit's Wheelbase; Overall Length (Bumper to Bumper): Body Width (Inside); Body Headroom, standard and high: Unit's GVWR: Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]: Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]: Tires, [Code No.; Make and Tread Designation]: Transmission (Base Item), Make and Model: Engine (Base Item), Make & Model: Size [Liter]; HP and Torque (Ft. Lbs.) Rating: Alternator [Make, Model and Rating]: Batteries [Model or Code No.; No. and CCA capacity of each]: Door (entrance), [Make and Model No.]: Fuel Tank [Capacity-Location]: Reflector Kit, [Make and Model No]: Roof Exit Hatch (Base Item), [Make and Model No]: Seatbelt (ambulatory people), [Make and Model No]: Stop Arm/s (power), [Make and Model No]: Warning System (school bus), [Make and Model No]:	139" Wheelbase; 238" OAL IW: 90"; Standard: 73"; High: N/A 12,000 lbs. 225/75R16(D); 5,360 pounds/Axle 225/75R16(D); 9,880 pounds/Axle (XHP front, YHP rear) Bridgestone A/S MT1 GM 4L80E LQ4 GM 6000 gas 6.0L; 300HP@4400rpm, 360#@4000rpm KG3 Delphi AD244. 145-amps (UA1) 1 rated @800 CCA Thomas Outward Opening, 24" wide 35-gals, (center) Safelite 73-0711-00 N/A Amsafe ABLP 1303-407 Specialty 5500 Weldon 5500

**CONTRACTORS, ITEM 8: MATTHEWS BUSES/QUALITY BUS SALES/
THOMAS BUS SALES**

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
8.	Type A-2, Class FC-22C/14A (G) (DRW) Bus: Cutaway van chassis, body conversion style; 4 row minimum 22 pupil capacity with forward-facing seats.	\$31,770.00
	Discount from MSRP	36% off Collins Bus Corp Option Listing NY State Bid 2004
	Pick Up Credit, per bus:	\$175.00
	Delivery:	90-180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(C33503) Chevrolet CG33503)/ (C5X4) Collins Super Bantam 4 108-NY-22-00WC-CBC
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 3/3 seating: Seating:	<u>3/3: 22C/14A</u> 3 rows @39" ea. and 1 row @ 30" LH 3 rows @39" ea. and 1 row @ 30" RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 238" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 91"; Standard: 77" High: 77"
Unit's GVWR:	1200 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16D; 4,670 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16D; 8,600 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHP front, YHP rear) OEM A/S Radial
Transmission (Base Item), Make and Model:	(MTI) GM MTI
Engine (Base Item), Make & Model:	(847) GM Vortec 6000
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0 L 300HP@ 4400-rpm, 360#@4000rpm
Alternator [Make, Model and Rating]:	Standard GM Delco, 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(4A1), 1 rated @ 800 CCA
Door (entrance), [Make and Model No.]:	(260-01-03) Collins Standard
Fuel Tank [Capacity-Location]:	(Standard) 33-gals, (rear)
Reflector Kit, [Make and Model No]:	660-12) Peterson 449-1
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(740-11) Am-Safe I-1740-02
Stop Arm/s (power), [Make and Model No]:	(840-01) Specialty 5400
Warning System (school bus), [Make and Model No]:	(520-21) Nova Bus-85Y-SIL

CONTRACTOR, ITEM 8: ARCOLA SALES & SERVICE CORP.

(continued)

<u>Item No.</u>	<u>Description</u>	<u>Unit Price</u>
8.	Type A-2, Class FC-22C/14A (G) (DRW) Bus: Cutaway van chassis, body conversion style; 4 row minimum 22 pupil capacity with forward-facing seats.	\$32,070.00
	Discount from MSRP	21% off Corbeil Option List GM (3/15/04) and Options - TB33503 139" wb C7L DRW (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(C7L) Chevrolet/GMC C/TG33503/ (DW4) Corbeil G139DWSM4UG)
NYS DOT Approval No. for this bus or the comparable one:	249-NY-22-00WC-EMC
Capacity, Number of Passengers with 3/2 seating: Seating:	<u>3/2: 22C/16A</u> 3 rows @39" ea. and 1 row @32" LH 3 rows @39" ea. and 1 row @ 32" RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 214" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 72.5"; High: 78"
Unit's GVWR:	12,000 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT225/75R16.0(D); 4,670 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT225/75R16.0(D); 8,600 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHP front, YHP rear) Uniroyal M&S
Transmission (Base Item), Make and Model:	(MTI) General Motors
Engine (Base Item), Make & Model:	(LQ4) General Motors
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 300HP@4400rpm, 360'#@4000rpm
Alternator [Make, Model and Rating]:	(Base) General Motors; 145 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(UA1) 1 rated @ 800 CCA
Door (entrance), [Make and Model No.]:	(Base) Corbeil Standard, 24" wide
Fuel Tank [Capacity-Location]:	(Base) 33-gals, (left side)
Reflector Kit, [Make and Model No]:	James King & Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind 1324
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty Mfg. 5500
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000

CONTRACTORS, ITEM 8: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
9.	Type A-2, Class FC-28C-18A (G) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row, minimum 26 to 28 pupil capacity with forward-facing seats.	\$32,330.00
	Discount from MSRP	36% off Mid Bus Option Price List Dated 1/1/04
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(4961586) Chevrolet CG33503/ (4961586) Mid Bus Guide DW 5/0 164-NY-27-00WC-MID
NYS DOT Approval No. for this bus or the comparable one:	164-NY-27-00WC-MID
Capacity, Number of Passengers with 3/3 seating: Seating:	<u>3/3: 27C/18A</u> 4 rows @ 39" ea. LH 5 rows @ 39" ea. RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 228" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 74"; High: 74"
Unit's GVWR:	12,000 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16(D); 4,670 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16(D); 8,600 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHP front; YHP rear) OEM A/S Radial
Transmission (Base Item), Make and Model:	(MTI) GM MTI
Engine (Base Item), Make & Model:	(8VZ) GM Vortec 6000
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 300HP @4400rpm, 360#@4000 rpm
Alternator [Make, Model and Rating]:	GM Delco, 145amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(CH4A1) 1 rated @800 CCA
Door (entrance), [Make and Model No.]:	(847536) Mid Bus Standard, 24" wide
Fuel Tank [Capacity-Location]:	33 gals, (rear)
Reflector Kit, [Make and Model No]:	(813194) Standard Fusee Corp 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	(813402) Specialty 8640
Seatbelt (ambulatory people), [Make and Model No]:	(815021) Am-Safe 1324-60
Stop Arm/s (power), [Make and Model No]:	(813701) Specialty 5400
Warning System (school bus), [Make and Model No]:	(813827) Weldon 7000

CONTRACTOR, ITEM 9: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item No.</u>	<u>Description</u>	<u>Unit Price</u>
9.	Type A-2, Class FC-28C-18A (G) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row, minimum 26 to 28 pupil capacity with forward-facing seats.	\$33,175.00
	Discount from MSRP	21% off Corbeil Option list GM (3/15/04) and Options - TG33503 139" wb C7L DRW (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(C7L) Chevrolet/GMC C/TG33503/ (DW5) Corbeil G139DWSM5UG										
NYS DOT Approval No. for this bus or the comparable one:	488-NY-28-00WC-EMC										
Capacity, Number of Passengers with 3/3 seating: Seating:	<table border="0" style="width: 100%;"> <tr> <td style="text-align: center;"><u>3/3: 28C/18A</u></td> <td style="text-align: center;"><u>3/3: 28C/20A</u></td> </tr> <tr> <td>4 rows @ 39"ea, LH</td> <td>4 rows @ 39"ea, LH</td> </tr> <tr> <td>1 row @ 30" LH</td> <td>1 row @ 32" LH</td> </tr> <tr> <td>4 rows @ 39" RH</td> <td>4 rows @ 39"ea, RH</td> </tr> <tr> <td>1 row @ 30" RH</td> <td>1 row @ 32" RH</td> </tr> </table>	<u>3/3: 28C/18A</u>	<u>3/3: 28C/20A</u>	4 rows @ 39"ea, LH	4 rows @ 39"ea, LH	1 row @ 30" LH	1 row @ 32" LH	4 rows @ 39" RH	4 rows @ 39"ea, RH	1 row @ 30" RH	1 row @ 32" RH
<u>3/3: 28C/18A</u>	<u>3/3: 28C/20A</u>										
4 rows @ 39"ea, LH	4 rows @ 39"ea, LH										
1 row @ 30" LH	1 row @ 32" LH										
4 rows @ 39" RH	4 rows @ 39"ea, RH										
1 row @ 30" RH	1 row @ 32" RH										
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 243" OAL										
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 72.5"; High: 78"										
Unit's GVWR:	12,000 lbs.										
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT225/75R16.0(D); 4,670 pounds/Axle										
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT225/75R16.0(D); 8,600 pounds/Axle										
Tires, [Code No.; Make and Tread Designation]:	(XHP front, YHP rear) Uniroyal M&S										
Transmission (Base Item), Make and Model:	(MTI) General Motors										
Engine (Base Item), Make & Model:	(LQ4) General Motors										
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L, 300HP@4400rpm, 360#@4000rpm										
Alternator [Make, Model and Rating]:	(Base) General Motors, 145-amps										
Batteries [Model or Code No.; No. and CCA capacity of each]:	(UA1) 1 rated @ 800 CCA										
Door (entrance), [Make and Model No.]:	(Base) Corbeil Standard, 24" wide										
Fuel Tank [Capacity-Location]:	(Base) 33-gals, (left side)										
Reflector Kit, [Make and Model No]:	James King and Co. 1005										
Roof Exit Hatch (Base Item), [Make and Model No]:	(5780) Transpec Econovent										
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind. 1324										
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty 5500										
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000										

CONTRACTORS, ITEM 9: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item No.</u>	<u>Description</u>	<u>Unit Price</u>
9.	Type A-2, Class FC-28C-18A (G) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row, minimum 26 to 28 pupil capacity with forward-facing seats.	\$33,190.00
	Discount from MSRP	36% off Collins Bus Corp. Option List NY State Bid 2004
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(G33503) Chevrolet CG33503/ (CSX5) Collins Super Bantam 5 103-NY-28-00WC-CBC
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 3/3 seating: Seating:	<u>3/3: 28C/18A</u> 4 rows @ 39"ea. and 1 row @ 30" ea., LH 4 rows @ 39" ea. and 1 row @ 30" ea., RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 260" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 91"; Standard: 77"; High: 77"
Unit's GVWR:	12,000 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16.0(D); 4,670 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16.0(D); 8,600 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(XHP front, YHP rear) OEM A/S Radial
Transmission (Base Item), Make and Model:	(MTI) GM MTI
Engine (Base Item), Make & Model:	(847) GM Vortec 6000
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0 L; 300HP@4400-rpm, 360#@4000rpm
Alternator [Make, Model and Rating]:	(Standard) GM Delco, 145-amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(4A1) 1 rated @ 800 CCA
Door (entrance), [Make and Model No.]:	(260-01-03) Collins Standard, 24" wide
Fuel Tank [Capacity-Location]:	(Standard) 33-gals, (rear)
Reflector Kit, [Make and Model No]:	(660-12) Peterson 449-1
Roof Exit Hatch (Base Item), [Make and Model No]:	(8-7001-002) Transpec 1900
Seatbelt (ambulatory people), [Make and Model No]:	(740-11) Am-Safe I-1740-02
Stop Arm/s (power), [Make and Model No]:	(840-01) Specialty 5400
Warning System (school bus), [Make and Model No]:	(520-21) Nova Bus 854-SIL

CONTRACTOR, ITEM 9: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
10.	Type A-2, Class FC-30C/20A (G) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row, 29 (minimum) to 30 pupil capacity with forward-facing seats.	\$44,375.00
	Discount from MSRP	34% off Mid Bus Option Price List Dated 1/1/04
	Pick Up Credit, per bus: Delivery:	\$175.00 120-270 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(CC40042) Chevrolet CC4500/ (39616) Mid Bus Guide SL 6/0 161-NY-30-00WC-MID
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 3/3 seating: Seating:	<u>3/3: 30C/20A</u> 5 rows @39"ea., LH 5 rows @39"ea., RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	165.5" Wheelbase; 284.5" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 74"; High: 74"
Unit's GVWR:	16,000 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/70R19.5(E); 7,280 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/70R19.5(E); 13,660 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	R3M front; R3N rear/Bridgestone Radial
Transmission (Base Item), Make and Model:	(MB1); Allison 1000 PTS
Engine (Base Item), Make & Model:	(LQR) Vortec, 100 MD
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	8.1 L; 225 HP@3600 350'#@1200 rpm,
Alternator [Make, Model and Rating]:	(K65) Dual AD230 Delco 2x105 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(TM2); 1 @770 CCA
Door (entrance), [Make and Model No.]:	(838540, Mid Bus Standard, 24" wide
Fuel Tank [Capacity-Location]:	(N23), 40 gals, (rear)
Reflector Kit, [Make and Model No]:	(813194) Standard Fusee Corp 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	(813402) Specialty 8640
Seatbelt (ambulatory people), [Make and Model No]:	(815021) Am-Safe 1324-60
Stop Arm/s (power), [Make and Model No]:	(813701) Specialty 5400
Warning System (school bus), [Make and Model No]:	(813827) Weldon 7000

CONTRACTOR, ITEM 10: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
10.	Type A-2, Class FC-30C/20A (G) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row, 29 (minimum) to 30 pupil capacity with forward-facing seats.	\$46,458.00
	Discount from MSRP	15% off U.S. Bus Corp. 2004 Sales Data Manual and Chevrolet Options Price List
	Pick Up Credit, per bus:	\$50.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	Chevrolet CG5V042/ US Bus Corp HD5500-SBCX-6 276-NY-30-00WC-STU
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 3/3 seating: Seating:	<u>3/3: 30C/20A</u> 5 rows @ 39"ea., LH 5 rows @ 39"ea., RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 255" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 74" High: N/A
Unit's GVWR:	19,500 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/70R19.5(F); 7,280 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/70R19.5(F); 13,660 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	Goodyear G647RSA
Transmission (Base Item), Make and Model:	Allison 1000
Engine (Base Item), Make & Model:	Chevrolet LQR
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	8.1L; 225HP@3600rpm, 350#@1200rpm
Alternator [Make, Model and Rating]:	Chevrolet K65 dual; 210-amps total
Batteries [Model or Code No.; No. and CCA capacity of each]:	1 rated @ 700 CCA
Door (entrance), [Make and Model No.]:	U.S. Bus Corp., 26" wide
Fuel Tank [Capacity-Location]:	40-gals, (rear)
Reflector Kit, [Make and Model No]:	Strato Flar 219-4
Roof Exit Hatch (Base Item), [Make and Model No]:	Transpec Econo 1900-028-111RT
Seatbelt (ambulatory people), [Make and Model No]:	Am-Safe 1-1771
Stop Arm/s (power), [Make and Model No]:	Transpec 6000-0001-611
Warning System (school bus), [Make and Model No]:	Inpower SBF-90

CONTRACTORS, ITEM 10: LEONARD BUS SALES/FACTORY DIRECT BUS SALES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

AWARD PAGE 42

Item

No. Description

- 11. Type A-1, Class FC-15C-16C (D) (SRW) Bus:**
Van with Roof Window Conversion; 14 (minimum)
to 16-pupil, 4 row capacity with forward-facing seats.

"No Award"

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
12.	Type A-1, Class FC-18C/10A (D) (SRW) Bus: Cutaway van chassis, body conversion style; 5 row, 18C/10A (minimum) pupil capacity with forward-facing seats.	\$34,850.00
	Discount from MSRP	21% off Corbeil Option list Ford (3/15/04) and Options E35, E350 Super Duty 138" wb SRW (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination NYS DOT Approval No. for this bus or the comparable one:	(E35) Ford E350/(SW5) Corbeil 167-NY-18-00WC-EMC								
Capacity, Number of Passengers with 3/1 & 2/2 seating: Seating:	<table border="0" style="width: 100%;"> <tr> <td style="text-align: center;"><u>3/1: 18C/13A</u></td> <td style="text-align: center;"><u>2/2: 18C/10A</u></td> </tr> <tr> <td>3 rows @39"ea, LH</td> <td>4 rows @30"ea, LH</td> </tr> <tr> <td>2 rows @30" ea, LH</td> <td>& 1 row@20", LH</td> </tr> <tr> <td>5 rows @ 20" ea, RH</td> <td>4 rows @30"ea ,RH & 1 row @20", RH</td> </tr> </table>	<u>3/1: 18C/13A</u>	<u>2/2: 18C/10A</u>	3 rows @39"ea, LH	4 rows @30"ea, LH	2 rows @30" ea, LH	& 1 row@20", LH	5 rows @ 20" ea, RH	4 rows @30"ea ,RH & 1 row @20", RH
<u>3/1: 18C/13A</u>	<u>2/2: 18C/10A</u>								
3 rows @39"ea, LH	4 rows @30"ea, LH								
2 rows @30" ea, LH	& 1 row@20", LH								
5 rows @ 20" ea, RH	4 rows @30"ea ,RH & 1 row @20", RH								
Unit's Wheelbase; Overall Length (Bumper to Bumper): Body Width (Inside); Body Headroom, standard and high: Unit's GVWR: Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]: Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]: Tires, [Code No.; Make and Tread Designation]: Transmission (Base Item), Make and Model: Engine (Base Item), Make & Model: Size [Liter]; HP and Torque (Ft. Lbs.) Rating: Alternator [Make, Model and Rating]: Batteries [Model or Code No.; No. and CCA capacity of each]: Door (entrance), [Make and Model No.]: Fuel Tank [Capacity-Location]: Reflector Kit, [Make and Model No]: Roof Exit Hatch (Base Item), [Make and Model No]: Seatbelt (ambulatory people), [Make and Model No]: Stop Arm/s (power), [Make and Model No]: Warning System (school bus), [Make and Model No]:	138" Wheelbase; 243" OAL IW: 75.5"; Standard: 68"; High: 74" 9,600 lbs. LT245/75R16.0(E); 6084 pounds/Axle LT245/75R16.0(E); 6084 pounds/Axle (T38) Hankook M&S (44B) Ford Motor Co. (99P) Ford Motor Co. 6.0L; 235HP@3300rpm, 440#@2000rpm (63A) Ford Motor; (dual) 220 total amps (Base) 2 rated @ 750 CCA ea (Base) Corbeil Standard 24" wide (Base) 37-gals, (rear) James King & Co 1005 N/A (4988) Beams Ind 1324 (2921) (E) Specialty Mfg. 5500 (3580) Weldon 7000								

CONTRACTORS, ITEM 12: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item No.</u>	<u>Description</u>	<u>Unit Price</u>
13.	Type A-2, Class FC-20C/10A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row 20C/10A (minimum) pupil capacity with forward-facing seats.	\$35,750.00
	Discount from MSRP	21% off Corbeil Option List Ford (3/15/04) and Options E35, E350 Super Duty 138" wb DRW (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E35) Ford E350/ (DW5) Corbeil F138DWS5
NYS DOT Approval No. for this bus or the comparable one:	611-NY-20-00WC-EMC
Capacity, Number of Passengers with 3/2 & 2/2 seating: Seating:	<u>3/2: 24C/14A</u> <u>2/2: 23C/13A</u> 2 rows @39"ea, LH 3 rows @39"ea, LH 3 rows @30"ea, LH 2 rows @30"ea, LH 2 rows @39"ea, RH 5 rows @30"ea, RH 3 rows @30"ea, RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	138" Wheelbase; 243" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 72.5"; High: 78"
Unit's GVWR:	11,500 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT225/75R16.0(E); 5,360 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT225/75R16.0(E); 10,720 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) Michelin M&S
Transmission (Base Item), Make and Model:	(44B) Ford Motor Company
Engine (Base Item), Make & Model:	(99) Ford Motor Company
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 235HP@3300rpm, 440#@2000rpm
Alternator [Make, Model and Rating]:	(63A) Ford Motor Co, dual, 220 total amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(Base) 2 rated @ 750 CCA ea
Door (entrance), [Make and Model No.]:	(Base) Corbeil Standard, 24" wide
Fuel Tank [Capacity-Location]:	(Base) 37-gals, (rear)
Reflector Kit, [Make and Model No]:	James King & Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind 1324
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty Mfg. 5500
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000

CONTRACTORS, ITEM 13: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
13.	Type A-2, Class FC-20C/10A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row 20C/10A (minimum) pupil capacity with forward-facing seats.	\$37,150.00
	Discount from MSRP	30% off Mid Bus Option Price List Dated 1/1/04
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(780A0) Ford E350/ (4961470) Mid Bus Guide DW 5/0 160-NY-20-00WC-MID
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 3/3 seating: Seating:	<u>3/3: 20C/10A</u> 5 rows @26"ea., LH 5 rows @26"ea., RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	138" Wheelbase; 252" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 74" High: 74"
Unit's GVWR:	11,500 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	22.5/75R16(E); 4,050 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	22.5/75R16(E); 7,800 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) Michelin A/S Radial
Transmission (Base Item), Make and Model:	(44B) Ford, 5R100
Engine (Base Item), Make & Model:	(99P) Ford 6.0 DI Turbo Diesel
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 235HP@3300rpm; 440#@ 2000 rpm
Alternator [Make, Model and Rating]:	(63A) Dual Motorcraft 2x110 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(Standard) 2 rated @750 CCA ea
Door (entrance), [Make and Model No.]:	(83854) Mid Bus Standard, 24" wide
Fuel Tank [Capacity-Location]:	(Standard) 37 gals, (rear)
Reflector Kit, [Make and Model No]:	(813194) Standard Fusee Corp 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(810021) Am-Safe 1324-60
Stop Arm/s (power), [Make and Model No]:	(813701) Specialty 5400
Warning System (school bus), [Make and Model No]:	(913827) Weldon 7000

CONTRACTOR, ITEM 13: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
13.	Type A-2, Class FC-20C/10A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row 20C/10A (minimum) pupil capacity with forward-facing seats.	\$39,342.00
	Discount from MSRP	15% off Thomas Built Buses Electronic Data Book and Bus Depot Price List
	Pick Up Credit, per bus:	\$50.00
	Delivery:	150 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	Ford E350 Cutaway/ 051 MS Thomas Minotour
NYS DOT Approval No. for this bus or the comparable one:	706-NY-20-00WC-TBB
Capacity, Number of Passengers with 2/2 seating: Seating:	2/2: 20C/10A 5 rows @26"ea, LH 5 rows @26"ea, RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	158" Wheelbase; 261" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 73"; High: N/A
Unit's GVWR:	11,500 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16(D); 5,360 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16(D); 9,880 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) General A/S
Transmission (Base Item), Make and Model:	(44B) Ford 5 speed torque shift
Engine (Base Item), Make & Model:	(99P) International
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6L; 235HP@3300rpm; 440#@2000rpm
Alternator [Make, Model and Rating]:	Ford/Motorcraft; 220-amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	2 rated @750 CCA ea
Door (entrance), [Make and Model No.]:	Thomas outward opening, 24" wide
Fuel Tank [Capacity-Location]:	37-gals, (center)
Reflector Kit, [Make and Model No]:	Safelite 73-0711-00
Roof Exit Hatch (Base Item), [Make and Model No]:	Specialty 9245-021
Seatbelt (ambulatory people), [Make and Model No]:	Amsafe ABLP 1303-407
Stop Arm/s (power), [Make and Model No]:	Specialty 5500
Warning System (school bus), [Make and Model No]:	Weldon 7000

**CONTRACTORS, ITEM 13: MATTHEWS BUSES/QUALITY BUS SALES/
THOMAS BUS SALES**

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
14.	Type A-2, Class FC-22C-14C (D) (DRW) Bus: Cutaway van chassis, body conversion style; 4 row, Minimum 22 pupil capacity with forward-facing seats.	\$35,400.00
	Discount from MSRP	21% off Corbeil Option List Ford (3/15/04) and Options E35, E350 Super Duty 138" wb DRW (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E35) Ford E350/ (DW5) Corbeil F138DWS4UD 551-NY-22-00WC-EMC										
NYS DOT Approval No. for this bus or the comparable one:											
Capacity, Number of Passengers with 3/3 seating: Seating:	<table border="0" style="width: 100%;"> <tr> <td style="text-align: center;"><u>3/3: 22C/14A</u></td> <td style="text-align: center;"><u>3/3: 22C/16A</u></td> </tr> <tr> <td>3 rows @39"ea, LH</td> <td>3 rows @39"ea., LH</td> </tr> <tr> <td>1 row @ 30", LH</td> <td>1 row @32" LH</td> </tr> <tr> <td>3 rows @39"ea, RH</td> <td>3 rows @39" ea RH</td> </tr> <tr> <td>1 row @30" RH</td> <td>1 row @32" RH</td> </tr> </table>	<u>3/3: 22C/14A</u>	<u>3/3: 22C/16A</u>	3 rows @39"ea, LH	3 rows @39"ea., LH	1 row @ 30", LH	1 row @32" LH	3 rows @39"ea, RH	3 rows @39" ea RH	1 row @30" RH	1 row @32" RH
<u>3/3: 22C/14A</u>	<u>3/3: 22C/16A</u>										
3 rows @39"ea, LH	3 rows @39"ea., LH										
1 row @ 30", LH	1 row @32" LH										
3 rows @39"ea, RH	3 rows @39" ea RH										
1 row @30" RH	1 row @32" RH										
Unit's Wheelbase; Overall Length (Bumper to Bumper):	138" Wheelbase; 218" OAL										
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 72.5"; High: 78"										
Unit's GVWR:	11,500 lbs.										
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT225/75R16.0(E); 5,360 pounds/Axle										
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT225/75R16.0(E); 10,720 pounds/Axle										
Tires, [Code No.; Make and Tread Designation]:	(T67) Michelin M&S										
Transmission (Base Item), Make and Model:	(44B) Ford Motor Co.										
Engine (Base Item), Make & Model:	(99P) Ford Motor Co.										
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 235HP@3300rpm, 440#@2000rpm										
Alternator [Make, Model and Rating]:	(63A) Ford Dual, 220 amps total										
Batteries [Model or Code No.; No. and CCA capacity of each]:	(Base) 2 rated @750 CCA ea										
Door (entrance), [Make and Model No.]:	(Base) Corbeil Standard, 24" wide										
Fuel Tank [Capacity-Location]:	(Base) 37-gals, (rear)										
Reflector Kit, [Make and Model No]:	James King & Co 1005										
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A										
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind 1324										
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty Mfg. 5500										
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000										

CONTRACTORS, ITEM 14: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
14.	Type A-2, Class FC-22C-14C (D) (DRW) Bus: Cutaway van chassis, body conversion style; 4 row, Minimum 22 pupil capacity with forward-facing seats.	\$35,990.00
	Discount from MSRP	30% off Collins Bus Corp Option Listing NY State Bid 2004
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E-35)Ford E350/(FSX4)/Collins FSB4-11D
NYS DOT Approval No. for this bus or the comparable one:	108-NY-22-00WC-CBC
Capacity, Number of Passengers with 3/3 seating:	<u>3/3: 22C/14A</u>
Seating:	3 rows @39" ea. and 1 row @30" LH 3 rows @39" ea. and 1 row @30" RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	138" Wheelbase; 238" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 91"; Standard: 76" High: 76"
Unit's GVWR:	11,500 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16.0(E); 4,050 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16.0(E); 7,800 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) Michelin A/W Radial
Transmission (Base Item), Make and Model:	(44B) Ford SR 100
Engine (Base Item), Make & Model:	(99P) Ford Power Stroke
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 235HP@3300rpm, 440#@2000rpm
Alternator [Make, Model and Rating]:	(63A) Dual Motorcraft, 2 x 110-amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(634) 2 rated @ 650 @ CCA
Door (entrance), [Make and Model No.]:	(2606208) Collins Standard, 24" wide
Fuel Tank [Capacity-Location]:	Standard; 37 gals, (rear)
Reflector Kit, [Make and Model No]:	(660-12) Peterson 448-1
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(740-11) Am-Safe I-1740-02
Stop Arm/s (power), [Make and Model No]:	(840-01) Specialty 5400
Warning System (school bus), [Make and Model No]:	(520-21) Nova Bus-854-SIL

CONTRACTOR, ITEM 14: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
14.	Type A-2, Class FC-22C-14C (D) (DRW) Bus: Cutaway van chassis, body conversion style; 4 row, Minimum 22 pupil capacity with forward-facing seats.	\$36,337.00
	Discount from MSRP	15% off Thomas Built Buses Electronic Data Book and Bus Depot price list
	Pick Up Credit, per bus: Delivery:	\$50.00 150 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	Ford E350 cutaway/ 041MS Thomas Minotour 1041-NY-22-00WC-TBB
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 3/3 seating: Seating:	3/3: 22C/14A 3 rows @39"ea. and 1 row @30", LH 3 rows @39"ea. and 1 row @30", RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	139" Wheelbase; 226" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90; Standard: 73" High: N/A
Unit's GVWR:	11,500 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16(D); 5,360 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16(D); 9,880 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) General A/S
Transmission (Base Item), Make and Model:	(44B0 Ford 5 speed torque shift
Engine (Base Item), Make & Model:	(99P) International
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6L; 235HP@3300rpm, 440#@2000rpm
Alternator [Make, Model and Rating]:	Ford/Motorcraft; 220-amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	2 rated @750 CCA ea
Door (entrance), [Make and Model No.]:	Thomas outward opening, 24" wide
Fuel Tank [Capacity-Location]:	37-gals, (center)
Reflector Kit, [Make and Model No]:	Safelite 73-0711-00
Roof Exit Hatch (Base Item), [Make and Model No]:	Specialty 9245-021
Seatbelt (ambulatory people), [Make and Model No]:	Amsafe ABLP 1303-40
Stop Arm/s (power), [Make and Model No]:	Specialty 5500
Warning System (school bus), [Make and Model No]:	Weldon 7000

**CONTRACTORS, ITEM 14: MATTHEWS BUSES/QUALITY BUS SALES/
THOMAS BUS SALES**

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
14.	Type A-2, Class FC-22C-14C (D) (DRW) Bus: Cutaway van chassis, body conversion style; 4 row, Minimum 22 pupil capacity with forward-facing seats.	\$36,750.00
	Discount from MSRP	30% off Mid Bus Option Price List Dated 1/1/04
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(780A) Ford E350/(496M76) Mid Bus
NYS DOT Approval No. for this bus or the comparable one:	171-NY-22-00WC-MID
Capacity, Number of Passengers with 3/3 seating:	<u>3/3; 22C/14A</u>
Seating:	4 rows @ 39"ea and 1 row @ 30", LH 4 rows @ 39"ea and 1 row @ 30"ea., RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	138" Wheelbase; 252" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 74"; High: 74"
Unit's GVWR:	11,500 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16.0(E); 4,050 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16.0(E); 7,800 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) Michelin A/S Radial
Transmission (Base Item), Make and Model:	(4YB) Ford 5R100
Engine (Base Item), Make & Model:	(99P) Ford 6ODI Turbo Diesel
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 235HP@3300 rpm, 440'#@2000rpm
Alternator [Make, Model and Rating]:	(63A) Dual Motorcraft 2x110 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(Standard) 2 rated @ 650 CCA ea
Door (entrance), [Make and Model No.]:	(83854) Mid Bus Standard, 24" wide
Fuel Tank [Capacity-Location]:	Standard, 37 gals. (rear)
Reflector Kit, [Make and Model No]:	(81394) Standard Fusee Corp. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(810521) Am-Safe 1324-60
Stop Arm/s (power), [Make and Model No]:	(813701) Specialty 5400
Warning System (school bus), [Make and Model No]:	(813827) Weldon 7000

CONTRACTOR, ITEM 14: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
15.	Type A-1 or A-2, Class FC-14C/14A (D) (DRW) Bus: Cutaway van chassis, body conversion style; MFSAB; 5 section maximum 14C/14A capacity with forward-facing seats.	\$32,769.00
	Discount from MSRP	15% off U.S. Bus Corp 2004 Sales Data Manual and Ford Option Price List
	Pick Up Credit, per bus:	\$50.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination Ford E-350/U.S. Bus Corp Sturdibus 5BFX
 NYS DOT Approval No. for this bus or the comparable one: 278-NY-14-00WC-STU

Capacity, Number of Passengers with 3/2 seating: 3/2: 14C/14A
 Seating: 3 rows @36" ea., LH
 4 rows @36" ea, RH

Unit's Wheelbase; Overall Length (Bumper to Bumper): 138" Wheelbase; 242" OAL
 Body Width (Inside); Body Headroom, standard and high: IW: 90"; Standard: 74"; High: N/A
 Unit's GVWR: 11,500 lbs.
 Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]: 225/75R16(E); 2,470 pounds/Axle
 Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]: 225/75R16(E); 2,470 pounds/Axle
 Tires, [Code No.; Make and Tread Designation]: Michelin LTXBSW
 Transmission (Base Item), Make and Model: Ford 5R100
 Engine (Base Item), Make & Model: Ford 99P
 Size [Liter]; HP and Torque (Ft. Lbs.) Rating: 6.0L; 235HP@3300rpm, 440'#@2000rpm
 Alternator [Make, Model and Rating]: Ford 63A, dual, 220-amps total
 Batteries [Model or Code No.; No. and CCA capacity of each]: 2 rated @ 650 CCA ea
 Door (entrance), [Make and Model No.]: U.S. Bus Corp, 26" wide
 Fuel Tank [Capacity-Location]: 37-gals, (rear)
 Reflector Kit, [Make and Model No]: Strato Flare 219-4
 Roof Exit Hatch (Base Item), [Make and Model No]: N/A
 Seatbelt (ambulatory people), [Make and Model No]: Am-safe 1-1771
 Stop Arm/s (power), [Make and Model No]: Transpec 6000-0001-E11
 Warning System (school bus), [Make and Model No]: Inpower SBF90

CONTRACTORS, ITEM 15: LEONARD BUS SALES/FACTORY DIRECT BUS SALES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item No.</u>	<u>Description</u>	<u>Unit Price</u>
15.	Type A-1 or A-2, Class FC-14C/14A (D) (DRW) Bus: Cutaway van chassis, body conversion style; MFSAB; 5 section, maximum 14C/14A capacity with forward-facing seats.	\$35,450.00
	Discount from MSRP	21% off Corbeil Option List Ford (3/15/04) and Options E35, E350 Super Duty 138" wb dRW (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E35) Ford E350/ (DW5) Corbeil F138DW5
NYS DOT Approval No. for this bus or the comparable one:	626-NY-14-00WC-EMC
Capacity, Number of Passengers with 2/2 seating: Seating:	<u>2/2: 14C/14A</u> 4 rows @ 34" ea, LH 3 rows @ 34" ea, RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	138" Wheelbase; 243" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 72.5"; High: 78"
Unit's GVWR:	11,500 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT225/75R16.0(E); 5,360 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT225/75R16.0(E); 10,720 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) Michelin M&S
Transmission (Base Item), Make and Model:	(44B) Ford Motor Co.
Engine (Base Item), Make & Model:	(99P) Ford Motor Co.
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 235HP@3300rpm, 440#@2000rpm
Alternator [Make, Model and Rating]:	(63A) Ford Dual, 220 total amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(Base) 2 @ 750 CCA ea
Door (entrance), [Make and Model No.]:	(Base) Corbeil Standard, 24" wide
Fuel Tank [Capacity-Location]:	(Base) 37-gals, (rear)
Reflector Kit, [Make and Model No]:	James King & Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	N/A
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind 1324
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty Mfg. 5500
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000

CONTRACTORS, ITEM 15: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
16.	Type A-2, Class FC-28C/18A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 26 (minimum) to 28 pupil capacity with forward-facing seats.	\$39,990.00
	Discount from MSRP	28% off Collins Bus Corp Option Listing NY State Bid 2004
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E45) Ford E450/ (FGX6) Collins FGB6-14D 106-NY-28-00WC-CBC
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 3/3 seating: Seating:	<u>3/3: 28C/18A</u> 4 rows @39" ea. and 1 row @30" ea, LH 4 rows @39"ea. and 1 row @ 30" ea, RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	158" Wheelbase; 280" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 91"; Standard: 76" High: 76"
Unit's GVWR:	14,050 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16.0; 4,600 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16.0; 9,450 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) Michelin A/W Radial
Transmission (Base Item), Make and Model:	(44B) Ford SR100
Engine (Base Item), Make & Model:	(99P) Ford Power Stroke
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 235HP@3300rpm, 440#@2000rpm
Alternator [Make, Model and Rating]:	(63A) Dual Motorcraft, 2 x 110 amps each
Batteries [Model or Code No.; No. and CCA capacity of each]:	(634) 2 rated @ 650 CCA ea
Door (entrance), [Make and Model No.]:	(260620) Collins Standard 24" wide
Fuel Tank [Capacity-Location]:	(Standard) 55-gals, (rear)
Reflector Kit, [Make and Model No]:	(660-12) Peterson 449-1
Roof Exit Hatch (Base Item), [Make and Model No]:	(87001) Transpec 1900
Seatbelt (ambulatory people), [Make and Model No]:	(740-11) Am-Safe I-1740-02)
Stop Arm/s (power), [Make and Model No]:	(840-01) Specialty 5400
Warning System (school bus), [Make and Model No]:	(520-21) Nova Bus-85YSIL

CONTRACTOR, ITEM 16: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
16.	Type A-2, Class FC-28C/18A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 26 (minimum) to 28 pupil capacity with forward-facing seats.	\$39,990.00
	Discount from MSRP	15% off Thomas Built Buses Electronic Book and Bus Depot Price List
	Pick Up Credit, per bus: Delivery:	\$50.00 180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	Ford E45 cutaway/ 051MS Thomas Minotour 1022-NY-28-00WC-TBB
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 3/3 seating: Seating:	3/3: 28C/20A 4 rows @39" ea. and 1 row @32", LH 4 rows @39" ea. and 1 row @32", RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	159" Wheelbase; 265" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 73"; High: N/A
Unit's GVWR:	14,050 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16(E); 6,084 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16(E); 10,820 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) General A/S
Transmission (Base Item), Make and Model:	(44B) Ford 5-speed Torque shift
Engine (Base Item), Make & Model:	(99P) International
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6L; 235HP@3300rpm, 440#@2000rpm
Alternator [Make, Model and Rating]:	Ford Motorcraft; 220 amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	2 rated @750 CCA ea
Door (entrance), [Make and Model No.]:	Thomas outward opening, 24" wide
Fuel Tank [Capacity-Location]:	37-gals, (center)
Reflector Kit, [Make and Model No]:	Safelite 73-0711-00
Roof Exit Hatch (Base Item), [Make and Model No]:	Specialty 9245-021
Seatbelt (ambulatory people), [Make and Model No]:	Amsafe ABLP 1303-407
Stop Arm/s (power), [Make and Model No]:	Specialty 5500
Warning System (school bus), [Make and Model No]:	Weldon 7000

**CONTRACTORS, ITEM 16: MATTHEWS BUSES/QUALITY BUS SALES/
THOMAS BUS SALES**

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
 Van & Cutaway Van Style (2004 Through 2010 Model Years)
 (Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
16.	Type A-2, Class FC-28C/18A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 26 (minimum) to 28 pupil capacity with forward-facing seats.	\$42,006.00
	Discount from MSRP	15% off U.S. Bus Corp 2004 Sales Data Manual and Ford Option Price List
	Pick Up Credit, per bus:	\$50.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination NYS DOT Approval No. for this bus or the comparable one:	Ford E-450/US Bus Corp Sturdibus HD-SD 283-NY-28-00WC-STU
Capacity, Number of Passengers with 3/3 seating: Seating:	<u>3/3: 28C/18A</u> 4 rows @ 39"ea and 1 row @ 30", LH 4 rows @ 39"ea and 1 row @ 30", RH
Unit's Wheelbase; Overall Length (Bumper to Bumper): Body Width (Inside); Body Headroom, standard and high: Unit's GVWR: Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]: Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]: Tires, [Code No.; Make and Tread Designation]: Transmission (Base Item), Make and Model: Engine (Base Item), Make & Model: Size [Liter]; HP and Torque (Ft. Lbs.) Rating: Alternator [Make, Model and Rating]: Batteries [Model or Code No.; No. and CCA capacity of each]: Door (entrance), [Make and Model No.]: Fuel Tank [Capacity-Location]: Reflector Kit, [Make and Model No]: Roof Exit Hatch (Base Item), [Make and Model No]: Seatbelt (ambulatory people), [Make and Model No]: Stop Arm/s (power), [Make and Model No]: Warning System (school bus), [Make and Model No]:	158" Wheelbase; 261" OAL IW: 90"; Standard: 74"; High: N/A 14,050 lbs. 225/75R16(E); 5,360 pounds/Axle 225/75R16(E); 9,880 pounds/Axle Michelin LTX-BSW Ford SR100 Ford 99P 6.0L; 235HP@3300rpm, 440#@2000rpm Ford 63A dual, 220-amps total 2 rated @ 650 CCA ea U.S. Bus Corp, 26" wide 55-gals, (rear) Strato Flare 219-4 Transpec-Econo 19000 28-111RT Am-Safe 1-1771 Transpec 6000-0001-E11 Inpower SBF-90

CONTRACTORS, ITEM 16: LEONARD BUS SALES/FACTORY DIRECT BUS SALES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
16.	Type A-2, Class FC-28C/18A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 26 (minimum) to 28 pupil capacity with forward-facing seats.	\$43,550.00
	Discount from MSRP	20% off: Blue Bird B2VC (3/30/04) and NYBS Shop Options Master (4/12/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	Ford E450/Blue Bird B2VC
NYS DOT Approval No. for this bus or the comparable one:	813-NY-30-00WC-BBB
Capacity, Number of Passengers with 3/3 seating:	<u>3/3: 28C/18A</u>
Seating:	4 rows @ 39"ea. and 1 row @30", LH 4 rows @ 39"ea. and 1 row @30", RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	158" Wheelbase; 262" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 91"; Standard: 74"; High: 74"
Unit's GVWR:	14,050 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT225/75R/16(E); 4,600 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT225/75R/16(E); 9,450 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	As supplied by Ford, All/Season
Transmission (Base Item), Make and Model:	Ford 4R100
Engine (Base Item), Make & Model:	(99P) Ford Diesel Turbo V8
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0 L; 325HP@3300rpm; 560#@ 2000rpm
Alternator [Make, Model and Rating]:	(63A) Motorcraft, dual; 260-amps total
Batteries [Model or Code No.; No. and CCA capacity of each]:	(SE) 2 rated @650 CCA ea
Door (entrance), [Make and Model No.]:	(30977-01) Blue Bird Manual 26.5" wide
Fuel Tank [Capacity-Location]:	(SE) 55-gals, (right side)
Reflector Kit, [Make and Model No]:	(30741-01) James King and Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	(30030-11) Specialty 9245
Seatbelt (ambulatory people), [Make and Model No]:	(2700-01) Am-Safe 11002
Stop Arm/s (power), [Make and Model No]:	(30293-01) (E) Specialty 6501
Warning System (school bus), [Make and Model No]:	(30193-01) Weldon 7000

CONTRACTORS, ITEM 16: NEW YORK BUS SALES, LLC/RAMP TRANSPORTATION

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
17.	Type A-2, Class FC-30C/20A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row, 29 (minimum) to 30 pupil capacity with forward-facing seats.	\$39,863.00
	Discount from MSRP	15% off Thomas Built Buses electronic data book and Bus Depot price list
	Pick Up Credit, per bus:	\$50.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	Ford E450 cutaway/ 051MS Thomas Minotour
NYS DOT Approval No. for this bus or the comparable one:	1117-NY-30-00WC-TBB
Capacity, Number of Passengers with 3/3 seating: Seating:	3/3: 30C/20A 5 rows @39"ea, LH 5 rows @39"ea, RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	158" Wheelbase; 261" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 73" High: N/A
Unit's GVWR:	14,050 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16(E); 6,084 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16(E); 10,820 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) General A/S
Transmission (Base Item), Make and Model:	(44B) Ford 5 speed torque shift
Engine (Base Item), Make & Model:	(99P) International
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 235HP@3300rpm, 445#@2000rpm
Alternator [Make, Model and Rating]:	Ford/Motorcraft, 220amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	2 rated @ 750 CCA ea
Door (entrance), [Make and Model No.]:	Thomas outward opening, 24" wide
Fuel Tank [Capacity-Location]:	37-gals, (center)
Reflector Kit, [Make and Model No]:	Safelite 73-0711-00
Roof Exit Hatch (Base Item), [Make and Model No]:	Specialty 9245-021
Seatbelt (ambulatory people), [Make and Model No]:	Amsafe ABLP 13-03-407
Stop Arm/s (power), [Make and Model No]:	Specialty 5500
Warning System (school bus), [Make and Model No]:	Weldon 7000

**CONTRACTORS, ITEM 17: MATTHEW BUSES/QUALITY BUS SALES/
THOMAS BUS SALES**

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
17.	Type A-2, Class FC-30C/20A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row, 29 (minimum) to 30 pupil capacity with forward-facing seats.	\$40,300.00
	Discount from MSRP	34% off Collins Bus Corp Option Listing NY State Bid 2004
	Pick Up Credit, per bus:	\$175.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E45)Ford E450/(FGX6)Collins FG136-14D
NYS DOT Approval No. for this bus or the comparable one:	105-NY-29-00WC-CBC
Capacity, Number of Passengers with 3/3 seating:	<u>3/3: 29C/20A</u>
Seating:	5 rows @39" ea., LH 4 rows @39" ea., and 1 row @ 37", RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	158" Wheelbase; 280" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 91".; Standard: 76" High: 76"
Unit's GVWR:	14,050 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16.0; 4,600 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16.0; 9,450 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) Michelin A/W Radial
Transmission (Base Item), Make and Model:	(44B) Ford SR100
Engine (Base Item), Make & Model:	(99P) Ford Power Stroke
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0 L 235-HP@3300rpm, 440#@2000rpm
Alternator [Make, Model and Rating]:	(63A) Dual Motorcraft 2 x 110-amps
Batteries [Model or Code No.; No. and CCA capacity of each]:	(634) 2 rated @ 650 CCA ea
Door (entrance), [Make and Model No.]:	(2606208) Collins standard, 24" wide
Fuel Tank [Capacity-Location]:	(Standard) 55-gals, (rear)
Reflector Kit, [Make and Model No]:	(660-12) Peterson 449-1
Roof Exit Hatch (Base Item), [Make and Model No]:	(87001) Transpec 1900
Seatbelt (ambulatory people), [Make and Model No]:	(740-11) Am-Safe I-1740-02
Stop Arm/s (power), [Make and Model No]:	(840-01) Specialty 5400
Warning System (school bus), [Make and Model No]:	(52021) Nova Bus-8545IL)

CONTRACTOR, ITEM 17: ARCOLA SALES & SERVICE CORP.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
17.	Type A-2, Class FC-30C/20A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row, 29 (minimum) to 30 pupil capacity with forward-facing seats.	\$40,540.00
	Discount from MSRP	21% off Corbeil Option List Ford (3/15/04) and Options E45, E450 Super Duty 158" wb DRW (3/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	(E45) Ford E450/ (DW5) Corbeil F158DWS5UD 620-NY-30-00WC-EMC
NYS DOT Approval No. for this bus or the comparable one:	
Capacity, Number of Passengers with 3/3 seating: Seating:	<u>3/3: 30C/20A</u> 5 rows @39"ea, LH 5 rows @39"ea, RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	158" Wheelbase; 272.5" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 72.5"; High: 78"
Unit's GVWR:	14,000 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT225/75R16.0(E); 5,360 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT225/75R16.0(E); 10,720 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	(T67) Michelin M&S
Transmission (Base Item), Make and Model:	(44B) Ford Motor Co.
Engine (Base Item), Make & Model:	(99P) Ford Motor Co.
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 235HP@3300rpm, 440#@2000rpm
Alternator [Make, Model and Rating]:	(63A) Ford Dual, 220-amps total
Batteries [Model or Code No.; No. and CCA capacity of each]:	(Base) 2 @ 750 CCA ea
Door (entrance), [Make and Model No.]:	(Base) Corbeil Standard, 35" wide
Fuel Tank [Capacity-Location]:	(Base) 55-gals, (rear)
Reflector Kit, [Make and Model No]:	James King & Co 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	(5780) Transpec Econovent
Seatbelt (ambulatory people), [Make and Model No]:	(4988) Beams Ind 1324
Stop Arm/s (power), [Make and Model No]:	(2921) (E) Specialty Mfg. 5500
Warning System (school bus), [Make and Model No]:	(3580) Weldon 7000

CONTRACTORS, ITEM 17: DON BROWN BUS SALES/GORMAN ENTERPRISES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
17.	Type A-2, Class FC-30C/20A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row, 29 (minimum) to 30 pupil capacity with forward-facing seats.	\$41,788.00
	Discount from MSRP	15% off U.S. Bus Corp 2004 Sales Data Manual and Ford Option Price List
	Pick Up Credit, per bus:	\$50.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	Ford E-450/US Bus Corp Sturdibus HD-SD
NYS DOT Approval No. for this bus or the comparable one:	222-NY-30-00WC-STU
Capacity, Number of Passengers with 3/3 seating:	<u>3/3: 30C/20A</u>
Seating:	5 rows @39"ea, LH 5 rows @39"ea, RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	158" Wheelbase; 261" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 90"; Standard: 74"; High: N/A
Unit's GVWR:	14,050 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	225/75R16(E); 5,360 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	225/75R16(E); 9,880 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	Michelin LTX-BSW
Transmission (Base Item), Make and Model:	Ford SR-100
Engine (Base Item), Make & Model:	Ford 99P
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0L; 235HP@3300rpm, 440'#@2000rpm
Alternator [Make, Model and Rating]:	Ford 63A dual; 220 amps total
Batteries [Model or Code No.; No. and CCA capacity of each]:	2 rated @ 650 CCA ea
Door (entrance), [Make and Model No.]:	U.S. Bus Corp., 26" wide
Fuel Tank [Capacity-Location]:	55-gals, (rear)
Reflector Kit, [Make and Model No]:	Strato Flare 219-4
Roof Exit Hatch (Base Item), [Make and Model No]:	Transpec Econo 19000-28111RT
Seatbelt (ambulatory people), [Make and Model No]:	Am-Safe 1-1771
Stop Arm/s (power), [Make and Model No]:	Transpect 6000-0001-E11
Warning System (school bus), [Make and Model No]:	Inpower SBF-90

CONTRACTORS, ITEM 17: LEONARD BUS SALES/FACTORY DIRECT BUS SALES

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

<u>Item</u> <u>No.</u>	<u>Description</u>	<u>Unit</u> <u>Price</u>
17.	Type A-2, Class FC-30C/20A (D) (DRW) Bus: Cutaway van chassis, body conversion style; 5 row, 29 (minimum) to 30 pupil capacity with forward-facing seats.	\$43,570.00
	Discount from MSRP	20% off: Blue Bird B2VC (3/30/04) and NYBS Shop Options Master (4/12/04)
	Pick Up Credit, per bus:	\$100.00
	Delivery:	180 days, A/R/O

OFFERED VEHICLE and EQUIPMENT DETAILS

Chassis/Body Combination	Ford E450/Blue Bird B2VC
NYS DOT Approval No. for this bus or the comparable one:	813-NY-30-00WC-BBB
Capacity, Number of Passengers with 3/3 seating:	3/3: 28C/18A
Seating:	4 rows @ 39"ea. and 1 row @ 30", LH 4 rows @ 39"ea. and 1 row @ 30", RH
Unit's Wheelbase; Overall Length (Bumper to Bumper):	158" Wheelbase; 262" OAL
Body Width (Inside); Body Headroom, standard and high:	IW: 91"; Standard: 74"; High: 74"
Unit's GVWR:	14,050 lbs.
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Front]:	LT225/75R16(E); 4,600 pounds/Axle
Tires (Radial), [Size (Load Range); & Capacity {lbs./axle} Rear]:	LT225/75R16(E); 9,450 pounds/Axle
Tires, [Code No.; Make and Tread Designation]:	As supplied by Ford; All Season
Transmission (Base Item), Make and Model:	Ford 4R100
Engine (Base Item), Make & Model:	(99P) Ford Diesel Turbo V8
Size [Liter]; HP and Torque (Ft. Lbs.) Rating:	6.0 L: 325HP@3300 rpm, 560#@2000rpm
Alternator [Make, Model and Rating]:	(63A) Motorcraft, dual; 260-amps total
Batteries [Model or Code No.; No. and CCA capacity of each]:	(SE) 2 rated @ 650 CCA ea
Door (entrance), [Make and Model No.]:	(30977-01) Blue Bird manual 26.5" wide
Fuel Tank [Capacity-Location]:	(SE) 55-gals, (right side)
Reflector Kit, [Make and Model No]:	(30741-01) James King & Co. 1005
Roof Exit Hatch (Base Item), [Make and Model No]:	(30030-11) Specialty 9245
Seatbelt (ambulatory people), [Make and Model No]:	(2700-01) Am-Safe 11002
Stop Arm/s (power), [Make and Model No]:	(30293-01) (E) Specialty 6501
Warning System (school bus), [Make and Model No]:	(30193-01) Weldon 7000

CONTRACTORS, ITEM 17: NEW YORK BUS SALES, LLC/RAMP TRANSPORTATION

(continued)

REQUEST FOR CHANGE:

Any request by the agency or contractor regarding changes in any part of the contract must be made in writing to the Office of General Services, Procurement Services Group, prior to effectuation.

CONTRACT PAYMENTS:

Payments cannot be processed by State facilities until the contract products have been delivered in satisfactory condition or services have been satisfactorily performed. Payment will be based on any invoice used in the supplier's normal course of business. However, such invoice must contain sufficient data including but not limited to contract number, description of product or service, quantity, unit and price per unit as well as federal identification number.

State facilities are required to forward properly completed vouchers to the Office of the State Comptroller for audit and payment. All facilities are urged to process every completed voucher expeditiously giving particular attention to those involving cash discounts for prompt payment.

If the contract terms indicate political subdivisions and others authorized by law are allowed to participate, those entities are required to make payments directly to the contractor. Prior to processing such payment, the contractor may be required to complete the ordering non-State agency's own voucher form.

See "Contract Billings" in Appendix B, OGS General Specifications.

ELECTRONIC PAYMENTS:

The Office of the State Comptroller (OSC) offers an "electronic payment" option in lieu of issuing checks. Contact OSC to obtain an information packet at 518-474-4032 or e-mail to epunit@osc.state.ny.us or visit their website at www.osc.state.ny.us.

NOTE TO AGENCY:

When placing purchase orders against the contract(s) please forward the "Procurement Services Group Copy" of the purchase order to: Quality Control & Inspection - OGS Procurement Services Group, 37th Floor Tower Bldg., Empire State Plaza - Albany, NY 12242.

PSG's DISPUTE RESOLUTION POLICY:

It is the policy of the Office of General Services' Procurement Services Group (PSG) to provide vendors with an opportunity to administratively resolve disputes, complaints or inquiries related to PSG bid solicitations or contract awards. PSG encourages vendors to seek resolution of disputes through consultation with PSG staff. All such matters will be accorded impartial and timely consideration. Interested parties may also file formal written disputes. A copy of PSG's Dispute Resolution Procedures for Vendors may be obtained by contacting the person shown on the front of this document or through the OGS website (www.ogs.state.ny.us). Click on "For Government - Contracts and Purchasing," then "Seller Information," then "Dispute Resolution Procedures for Vendors."

GENERAL:

Type A buses are the traditional cutaway chassis buses with an engine cowl (short or conventional length) in front of the cab with an activity or school bus conversion body added, or a cargo van with a raised roof/window conversion.

All items and components normally furnished and as required for the intended application (i.e., federal and NYS Codes Rules & Regulations) shall be provided except for those that are otherwise additionally specified herein.

All equipment and components and combinations thereof as offered shall be compatible and approved for the intended application by the chassis, body and equipment manufacturers.

The vehicle and its associated equipment shall be in accordance with manufacturer's current standard data book specifications, requirements, recommendations and options and shall conform to all federal and state regulations in effect at the time of delivery.

(continued)

EXTENSION OF PRICES COMMITMENT:

The contractor agrees to honor all orders from state agencies, political subdivisions and others authorized by law (including but not limited to "Non-State Agencies Participation in Centralized Contracts", "Extension of Use", and "Purchases by Consortium and Other Authorized Organizations", etc. clauses incorporated herein) that are in compliance with the pricing, terms, and conditions set forth in this contract document.

Any unilateral limitations/restrictions imposed by the contractor and/or manufacturer on eligible contract users will be grounds for cancellation of the contract. If a contract, or any portion thereof, is cancelled for this reason, any additional costs incurred by the eligible purchaser will be borne by the contractor.

EXTENSION OF USE:

This contract may be extended to additional states or governmental jurisdictions upon mutual written agreement between New York State (the lead contracting state) and the contractor. Political subdivisions and other authorized entities within each participating state or governmental jurisdiction may also participate in this contract if such state normally allows participation by such entities. New York State reserves the right to negotiate additional discounts based on any increased volume generated by such extensions.

PURCHASES BY CONSORTIUM AND OTHER AUTHORIZED ORGANIZATIONS:

Pursuant to Section 163 of the State Finance Law, any association, consortium or group of privately owned or municipal, federal or state owned or operated hospitals, medical schools, other health related facilities or voluntary ambulance services so authorized by the Commissioner may participate in this contract, subject to the terms and conditions of the Notice of Contract Award.

NON-STATE AGENCIES PARTICIPATION IN CENTRALIZED CONTRACTS:

New York State political subdivisions and others authorized by New York State law may participate in this contract. These include, but are not limited to local governments, public authorities, public school and fire districts, public and nonprofit libraries, and certain other nonpublic/nonprofit organizations. See "Participation in Centralized Contracts" in Appendix B, OGS General Specifications. For purchase orders issued by the Port Authority of New York and New Jersey (or any other authorized entity that may have delivery locations adjacent to New York State), the terms of the "Price" clause shall be modified to include delivery to locations adjacent to New York State.

Upon request, all eligible non-state agencies must furnish contractors with the proper tax exemption certificates and documentation certifying eligibility to use State contracts. A list of categories of eligible entities is available on the OGS web site (www.ogs.state.ny.us). Click on "For Government-Contracts and Purchasing," then "About Procurement," then "Non-State Agency Legal References." Questions regarding an organization's eligibility to purchase from New York State contracts may also be directed to OGS Procurement Services Group's Customer Services at 518-474-6717.

MINIMUM ORDER:

Minimum order shall be one (1) vehicle or one (1) equipment option. In the event an additional option order is requested after original order is placed, it must be received by the contractor on a timely basis for implementation into the original factory order.

DELIVERY:

Time - Delivery is expressed in number of calendar days required to make delivery after receipt of a purchase order (A/R/O). Time is of the essence in regard to the delivery of vehicles.

(continued)

DELIVERY (Cont'd):

Purchase Order Instructions - Delivery shall be made in accordance with instructions on purchase order from each agency. If there is a discrepancy between the purchase order and what is listed on the contract, it is the contractor's obligation to seek clarification from the ordering agency and, if applicable, from the Office of General Services, Procurement Services Group.

Expansion of Delivery Points - Upon mutual agreement, delivery locations may be expanded per the "Non-State Agencies Participation in Centralized Contracts", "Extension of Use" and "Purchases by Consortium and Other Authorized Organizations" clauses incorporated herein.

Pre-Delivery Inspection - At the discretion of the Commissioner of General Services, the Contractor may be required to present a vehicle for pre-delivery inspection at such location as may be designated. When so required, the contractor shall make no delivery of it or similar contract units without written approval of the vehicle from the Commissioner of General Services or authorized agent thereof.

Delivery Condition - Vehicle must be delivered strictly in accordance with specifications and shall be "Ready for Use", except as allowed in the "Terms and Conditions for Payment and/or Delivery" section herein and/or as requested by the purchaser. If vehicle is delivered with deviations or improper servicing, the contractor must arrange to have the necessary work done within five (5) days (exclusive of Saturdays, Sundays, and holidays) after receipt of written notification from the agency and/or the Office of General Services. Otherwise, the purchasing agency may have the corrections made at contractor's expense.

Delivery Certification - Contractor shall secure a signed receipt from the agency certifying to delivery of vehicle. Special attention should be given to such items as:

- spare rim
- wheel lug wrench
- reflective kit
- bill of materials
- assignments of monies documents
- one set of manuals for accessory equipment.

In the event deficiencies are later noted and a properly signed receipt is not available, contractor will be responsible.

Shipping Dates And Delivery Time -

- Contractor shall provide written acknowledgement of orders within five (5) business days after receipt of order.
- Contractor shall provide ordering agency with anticipated shipping date of completed vehicle with written acknowledgement of order.
- Contractor shall furnish the agency with written acknowledgement of the shipping date at least two weeks prior to shipment.
- If shipment will not be made within the stated delivery time, the Contractor is required to notify the agency in writing at least two weeks prior to the latest date of the original delivery obligation. This notification must include the reasons for the delay and the latest date the vehicle will be shipped. Should the delay not be acceptable to the using agency, appropriate contract default proceedings will be initiated. Failure to supply timely written notification of delay may be cause for default proceedings.
- All correspondence on shipping dates and delivery time shall be directed to the ordering agency's contact person.

(continued)

CONTRACT PERIOD AND RENEWALS:

General - Model Years - Contract shall be from date of issuance to termination of production of "2010" or newer models or depletion of all stocks for 2010 or newer models, whichever is last. Additional model years may be added if contract is extended beyond original term (see "Extension of Contract").

"Build Out" - Notice of Final Date for Placing Orders - The Contractor and/or Manufacturer shall notify the Office of General Services, Procurement Services Group, in writing at least two (2) weeks in advance of the final date for placing orders.

Contract shall remain in effect until two (2) weeks after the "Notice of Final Date for Placing Orders" is received.

Purchase of Vehicles from Cancelled Orders - Vehicles ordered during the contract period and subsequently cancelled by an agency may be purchased by other eligible agencies even though the contract ordering period may have lapsed, subject to the approval of the Office of General Services.

Termination By Issuance of New Award - Notwithstanding the foregoing, the contracts covered by this Contract Award Notification shall be terminated by the issuance of a new Contract Award Notification for the same or substitute commodity for the next applicable contract period.

Cancellation After Twelve Months - The state may unilaterally cancel the contract on a monthly basis any time after the initial twelve (12) months by providing written notification at least one (1) month prior to the effective date of cancellation. The minimum term of the contract shall be twelve (12) months. This provision does not affect the State's right of suspension or cancellation contained in the "Suspension of Work" and "Cancellation" clauses in Appendix B, OGS General Specifications.

Extension of Contract - If mutually agreed between the Procurement Services Group and the contractor, a contract may be extended under the same terms and conditions for additional period(s) not to exceed a total contract term of ten (10) years.

SHORT TERM EXTENSION:

In the event the replacement contract has not been issued, this contract may be extended unilaterally by the state for an additional period of up to one month upon notice to the contractor with the same terms and conditions as the original contract including, but not limited to, quantities (prorated for such one month extension), prices, and delivery requirements. With the concurrence of the contractor, the extension may be for a period of up to three months in lieu of one month. However, this extension terminates should the replacement contract be issued in the interim.

CONTRACT MIGRATION:

State agencies or any other authorized user holding individual contracts with contractors under this centralized contract shall be able to migrate to this contract award with the same contractor, effective on the contract begin date (retroactively, if applicable). Migration by an agency or any other authorized user to the centralized contract shall not operate to diminish, alter or extinguish any right that the agency or other authorized user otherwise had under the terms and conditions of their original contract.

WARRANTIES:

General - See "Warranties" in Appendix B, OGS General Specifications.

Normal wear and tear items shall be warranted in accordance with manufacturer's standard warranty. Where accessories are to be supplied, they must be compatible with the rest of the product.

(continued)

WARRANTIES (cont'd):

Condensing Units - On products with condensing units, the guarantee on such units shall be for two (2) years for 100% parts and labor.

Promotional Equipment and Promotional Warranty Packages - Vehicle and equipment warranties which exceed the state's minimum warranties (standard and/or extended) shall apply for the full term of the warranties offered with bid submission.

Whenever the factory (at "No Additional Charge") is promoting an extended warranty or other promotional package, it shall be extended to purchases made via this contract also (i.e., "Allison™" Transmission extended coverage period warranties, engine manufacturer extended coverage warranties, chassis manufacturer upgrade to automatic transmission in lieu of standard transmission at no charge, etc.). Availability of promotional options and/or extended warranties shall be the same as the availability period offered in the marketplace by the factory.

Certification of Components - Contractor certifies that all components (of base item and its options) are available, compatible (including OEM restrictions), and included in this award. Certification shall include all vehicle OEM purchase-order codes for each item of offer.

GUARANTEE:

The vehicle shall be new and of current production. All equipment shall be in accordance with manufacturer's current standard data book specifications, requirements, recommendations and options and shall conform to all federal and state regulations in effect at the time of delivery. Any combination of options and colors, as ordered, must be available as a factory order. Delivery of dealer-stocked buses, that are preordered and preloaded with options not typically purchased, will not be accepted. The manufacturer's standard warranty shall apply to the vehicle and warranty service shall be gratis at any dealer's shop anywhere within New York State. The contractor shall guarantee all equipment furnished for a period of one (1) year from date of delivery if such equipment is not included in the vehicle manufacturer's standard warranty. This guarantee shall include defective materials and workmanship. If, during this period, repairs and/or parts replacement become necessary due to defective materials and workmanship, all labor and material shall be furnished by the contractor at no cost to the purchasing agency.

PRICE SHEETS AND CATALOGS:

Contractor shall furnish, without charge, current catalog and price lists, including any changes (additions, deletions, etc.) during the contract term to authorized users who request them.

Catalogs and price lists may be furnished in either hard copy or electronic format. If available in both formats, they shall be furnished in the format preferred by the requesting authorized user. Upon request the contractor shall assist authorized users in the use of catalogs and price lists.

INSTRUCTION OF PERSONNEL:

Within five (5) business days of delivery of product, the contractor shall provide instruction by qualified personnel sufficient to ensure that the product is operated and operator maintained so as to perform to the full extent of its design capabilities. Agency shall designate personnel who are to receive instruction.

INSTRUCTION MANUALS:

Simultaneous with delivery, the contractor shall furnish to the authorized user a complete instruction manual for the product and for each component supplied. The manual shall include complete instructions for unpacking, inspecting, installing, adjusting, aligning, and operating the product, together with layout and interconnection diagrams, schematic and wiring diagrams, preventive and corrective maintenance procedures, and complete parts lists, manufacturer's catalog numbers, and ordering information, if applicable.

This shall NOT preclude contractor from delivering a correctly set-up and fully operational unit as ordered.

(continued)

**GROUP 40520 - BUSES (School), Type A, Light Duty,
Van & Cutaway Van Style (2004 Through 2010 Model Years)
(Statewide)**

MANUALS [Add-On Equipment]:

One (1) copy of a maintenance/operational manual and a parts list for mechanical/hydraulic equipment such as pumps, hoist, wheelchair lifts, (i.e., for all ancillary equipment) shall be delivered to the agency with the vehicle. Base vehicle shall include the manufacturer's standard operating and maintenance manuals as stated elsewhere herein.

PILOT MODEL INSPECTIONS:

When more than five (5) units are being ordered, the Contractor shall furnish a pilot model of the equipment offered for inspection at Manufacturer's plant, Contractor's/ vendor's place of business, or a delivery point within New York State (state or political subdivision's option).

All units delivered under the purchase order(s) shall conform to the approved pilot model. Pilot model must be fully prepared for inspection in accordance with these specifications. Cost of subsequent inspections (including personnel-hours) required because pilot model has not been properly prepared for inspection may be charged to the Contractor.

The contractor will be responsible for travel expenses incurred by any authorized state or political subdivision employee(s) required to participate in on-site inspection of a pilot model of the contract product. The state or political subdivision employee(s) will be required to adhere to the established state standards normally applicable for reimbursement of travel expenses.

It is anticipated that a minimum of one inspection of the product specified in this solicitation will be required, which will be performed by two or three employees, as determined by the ordering agency.

Refusal by the Contractor to provide payment for required travel expenses may result in contract cancellation at the Contractor's expense.

REPORT OF CONTRACT PURCHASES:

Contractor shall furnish report of purchases made from contract the fifteenth of the month following the end of each six-month period, or termination of contract model year availability. The reports shall be in the following format:

Contract Item No.	Item & Option Sales Category	Quantity	Value Each	Grand Total
	Total Base Item Units Sold to Political Sub-Divisions	400	\$100,000.00	\$40,000,000.00
	Options (Total Value of Items Sold)		\$100,000.00	\$100,000.00
	Sub-Total Sales of Base Item & Options (Political Sub-Division)			\$40,100,000.00
	Total Base Item Units Sold to State Agencies	10	\$105,000.00	\$1,050,000.00
	Options (Total Value of Items Sold)		\$ 50,000.00	\$ 50,000.00
	Sub-Total Sales of Base Items & Options (State Agencies)			\$1,100,000.00
	Grand Total All Sales Base Item & Options			\$41,200,000.00

The report is to be submitted to the Procurement Services Group, NYS Office of General Services, Tower Bldg., Empire State Plaza, Albany, NY 12242, to the attention of the individual shown on the front page of the award and shall reference the commodity group number, the award number, contract number, sales period, and contractor's name. The state reserves the right to modify format to meet specific contract extension or re-bid needs, per request.

(continued)

REPORT OF CONTRACT PURCHASES (Cont'd):

Additional related sales information, such as monthly/annual reports, and/or detailed user purchases may be required and must be supplied upon request.

Failure to submit the required report may be cause for disqualification of contractor for future contracts.

EMERGENCY PURCHASING:

In the event that a disaster emergency is declared by Executive Order under Section 28 of Article 2-B of the Executive Law, or that the Commissioner determines pursuant to his/her authority under Section 163(10)(b) of the State Finance Law that an emergency exists requiring the prompt and immediate delivery of products or services, the Commissioner reserves the right to obtain such products or services from any source, including but not limited to this contract, as the Commissioner in his/her sole discretion determines, will meet the needs of such emergency. Contractor shall not be entitled to any claim or lost profits for products or services procured from other sources pursuant to this paragraph.

OVERLAPPING CONTRACT ITEMS:

Products/services available in this contract may also be available from other New York State contracts. Contract users are advised to select the most cost effective procurement alternative that meets their program requirements and to maintain a procurement record documenting the basis for this selection.

"OGS OR LESS" GUIDELINES APPLY TO THIS CONTRACT:

Purchases of the products included in this Contract Award Notification are subject to the "OGS or Less" provisions of Section 163.3.a.v., Article XI, of the New York State Finance Law. This means that state agencies can purchase products from sources other than the contractor provided that such products are substantially similar in form, function or utility to the products herein and are:

1. lower in price
-and/or-
2. available under terms which are more economically efficient to the state agency (e.g. delivery terms, warranty terms, etc.).

Agencies are reminded that they must provide the state contractor an opportunity to match the non-contract savings at least two business days prior to placing an order. In addition, purchases made under "OGS or Less" flexibility must meet all requirements of law including, but not limited to, advertising in the New York State Contract Reporter, prior approval of the Comptroller's Office and competitive bidding of requirements exceeding the discretionary bid limit. State agencies should refer to Procurement Council Bulletin "OGS or Less Purchases" for complete procedural and reporting requirements.

PURCHASE ORDERS:

Purchase orders shall be effective and binding upon the contractor when placed in the mail or faxed to the contractor at the address shown in this Contract Award Notification.

AVAILABILITY:

Vehicles may be sold from existing stock if they are in compliance with the contract specifications and pricing. In no way should options be added to these vehicles without the consent of the ordering entity. In all cases option pricing should be in accordance with contract requirements.

Contractors should not pre-order vehicles for the contract with options or option packages not typically purchased under this contract. Contract users are encouraged to contact the Office of General Services, Procurement Services Group if they are being asked to purchase elaborately optioned vehicles from pre-existing stock in lieu of normal contract vehicles.

(continued)

PAYMENTS OF INTEREST (State Facilities):

The payment of interest on certain payments due and owed by a state agency may be made in accordance with the criteria established by Chapter 153, Laws of 1984 (Article 11A of New York State Finance Law) and the Comptroller's Bulletin No. A-91, Appendix B, Section 63, Interest on Late Payments.

The terms of Chapter 153 apply only to procurements by, and the consequent payment obligations of, state agencies. Neither expressly nor by any implication is the new statute applicable to non-state agency purchasers. Nor, of course, is the Office of General Services or the Office of the State Comptroller responsible for payments (see General Specification Clause 69) on any purchases made by a participating political subdivision or other authorized entity.

PAYMENT (State Facilities):

Because of constantly increasing finance charges and other costs to the contractor, it is imperative that ordering agencies make every effort to process the vouchers for payment by the Comptroller within a reasonable period of time. However, if there are any problems that will delay payment, the contractor should be notified.

When a vehicle is delivered the agency may process the voucher for the full amount of the contract price if, in their opinion, the vehicle is in compliance with the specifications. However, if poor workmanship and/or minor deviations exist, the agency may withhold up to 20% of the contract price upon delivery and delay payment of the balance until the contractor has made all necessary corrections. The agency may withhold the full amount of the contract price if, in their opinion, the vehicle contains major deviations from specification.

PAYMENT, PRE-PAYMENT/DELIVERY TERMS & CONDITIONS (School Districts and Others Requiring School Buses):

Payment and pre-payment delivery terms and conditions for buses provided to school districts and others (required by law to use school buses) purchasing from this contract shall meet the following conditions:

1. School buses shall be inspected by the NYS, Department of Transportation Traffic and Safety Division, or an authorized representative thereof, and shall have a "Regular Certificate Of Inspection" prior to delivery by the contractor. When predetermined by a contractor-purchaser documented agreement predating the delivery, the vehicle may be delivered without this certificate, but the "Regular Certificate" shall be provided within two weeks after delivery by the contractor.
2. Payment shall be made upon delivery (except as predetermined by a contractor-purchaser agreement at time of placement of the order) when a regular certificate (not a short term certificate) has been issued.
3. Except as predetermined by a contractor-purchaser agreement prior to placement of the order and/or delivery, the payment shall be made immediately after inspection for a vehicle delivered without its regular certificate, when the regular certificate is issued by the Department of Transportation, Traffic and Safety Division, or an authorized representative thereof.
4. See second paragraph of previous "PAYMENT" section clauses for partial payments and conditions thereof.

Failure of any purchaser or contractor to adhere to the above requirement may result in disqualification from participation in future state contracts.

THIRD PARTY FINANCING:

The contract, or any part thereof, may be financed through a separate agreement with a third financing party. The contractor agrees and acknowledges the state's ability for third party financing, in whole or in part under the terms of this contract award. Payments financed under this type of arrangement are not eligible for late payment interest supplements pursuant to Article XI-A of the State Finance Law. All third party financing must be in compliance with the rules and regulations which govern the purchasing entity.

(continued)

ASSIGNMENT OF MONIES:

Approval of the Commissioner is not required for the assignment of monies due for contract deliveries. On deliveries made to State agencies, such assignments must be filed by the Contractor directly with the Office of the State Comptroller.

For political subdivisions and other non-state facilities authorized by law to participate in state contracts, the contractor must notify the ordering facilities directly of any assignment of monies due.

Copies of any assignment of monies notification must also be sent by the Contractor to the NYS Office of General Services, Procurement Services Group and participating authorized user(s).

Assignee shall submit their documentation to the contractor, for subsequent inclusion with the bid opening documents. Upon Award, contractor shall send original assignment documents directly to OSC at the following address:

OFFICE OF THE STATE COMPTROLLER

Office of State Expenditures, Offset Unit

110 State Street

Albany, NY 12236

Phone: (518) 402-4923

Phone: (518) 473-5687

LEASING: (School Districts)

State contract vendors/awardees may offer the New York State contract price as the benchmark for school bus leasing. School districts interested in pursuing such leasing should obtain a copy of NYS/Education Law, Chapter 472,S.7737 (effective September 1, 1998 through August 31, 2004), or latest revision thereof.

SERVICE:

Service by authorized representatives of the vehicle's chassis, body and equipment manufacturers must be available within New York State. Prior to delivery, each vehicle shall be completely serviced by the contractor or by an authorized dealer of the manufacturer in a modern, properly equipped service shop, certified and/or licensed to provide required New York State vehicle inspections. Service shall include not less than the following: lubrication; wash; engine tune-up; wheel alignment; NY State inspection; body condition and all other checks and adjustments required for proper complete servicing of a new vehicle. Particular attention shall be given to door alignment, weather stripping, hardware and paint condition. It shall be the contractor's responsibility to ensure at that time that all components and accessories specified have been properly installed.

RECALLS:

The contractor must immediately notify the Office of General Services, Procurement Services Group of any recalls pertaining to contract vehicles.

DISPOSITION OF SETTLEMENTS, ETC.:

The Office of General Services has the right to determine the disposition of any rebates, settlements, restitution, liquidated damages, etc., which arise from the administration of this contract.

SUBSTITUTIONS:

Substitutions or variations from specifications shall not be made without prior approval of the Office of General Services.

INSTALLED OPTIONS:

The chassis manufacturer's price list is incorporated as part of this contract and all equipment variations typically manufactured/sold are available as stated herein. Prices offered for any listed option requested by the ordering agency shall not exceed the MSRP, less discount offered.

PROMOTIONAL ADVERTISING:

Any contractor advertisements, promotional literature and/or contract description(s) of contract awards must be reviewed and approved in writing by the Office of General Services, Procurement Services Group prior to issuance.

(continued)

BILL OF MATERIALS:

Two (2) copies of a bill of materials or factory chassis line-setting ticket shall be furnished with each vehicle. The bill of materials shall list by part number, capacity, size or otherwise, all major components of the vehicle (engine, alternator, storage batteries, clutch, transmission, driveline/s brakes, frame, axles, springs, tires, fuel tank, etc.). The bill of materials shall be as comprehensive as the vehicle manufacturer's line-set ticket. If agreeable to the purchaser, a floppy disc or CD may be supplied, providing all required information is furnished.

EMISSIONS CONTROLS:

Vehicles and engines shall comply with all applicable federal, state and local laws and regulations in effect on the date of manufacture.

PICK-UP CREDIT:

If the ordering entity picks the vehicle up at the Contractor's dealership, a credit will be given.

CHASSIS & BODY REQUIREMENTS:

Only body and chassis combinations approved by Department of Transportation, Traffic and Safety Division for use as 2004 and newer models and that meet all applicable federal and New York State rules and regulations at time of delivery shall be delivered by the contractor.

All school buses shall be inspected by the NYS Department of Transportation, Traffic and Safety Division, prior to final acceptance by the using agency and a "Certificate of Inspection" sticker shall be clearly visible on the bus windshield as required by the regulations.

UNIVERSAL DETAILS

EQUIPMENT:

Minimum equipment shall include, but not be limited to, the following items, in addition to, or in lieu of comparable items required by the latest amended regulations of the New York State Department of Transportation (NYCRR Title/17, Chapter VI, Article 3, Parts 720/721/724).

Dual Electric Horns: Required for all.

Power Steering and Power Service Brakes: Required for all, plus manufacturers standard parking brake.

Transmission: Shall be automatic with maximum number of forward speeds.

Tow Hooks: Tow hooks, when not provided as standard equipment, must be available as an optional purchase. Aftermarket tow hooks, when purchased as an option, must include K bracing or better to ensure against frame twisting when vehicle is recovered.

Shock Absorbers: Shall be the maximum available OEM; front and rear shock absorbers shall be provided for all.

Rear Emergency Exit Door/s: All rear bulkhead doors shall include lower glass and all locations shall have a 3-point locking device on the emergency doors with an audible alarm system. A grille type guard should be available as an optional purchase.

Door Equipment (Front Entrance): Shall include a driver's manually operated front entrance door opener. Cutaway van chassis bodies shall have dual doors (swing or bi-fold type) with a nominal 72"H x 2'W opening as per DOT specifications. Additionally, buses with these 72" or higher dual panel doors shall have split sash window panes (upper and lower) in the passenger compartment.

Driver's Compartment Dome Light: Shall be so directed to provide adequate illumination for the bus driver and controlled by an independent switch.

(continued)

UNIVERSAL DETAILS (Cont'd)

EQUIPMENT: (Cont'd)

Signs, "School Bus": Both front and rear shall be fully enclosed, internally illuminated type.

Stop Arm (Power): Shall be entrance-door lever activated, electric vacuum or air type, and be provided on all buses. It shall have a pair of front and rear red flashers.

Mirrors (Exterior Dual): Crossover style and stainless steel/aluminum, detent type mirrors, which meet all federal and state specifications, shall be provided on all buses.

Restraining Barriers: Any column of seats shall have a restraining barrier with padded top rail forward of the foremost seat.

Heater/s (Passenger Area): Minimum passenger compartment heating shall meet NYS DOT/NYCRR requirements. Additional option heaters shall be available as listed in the Invitation for Bids.

Roof (Van Conversion & Cutaway Units):

A full-length interior roof lining shall be provided for all units.

Medium height raised roofs shall provide a 60" inside height or better.

High headroom raised roofs shall provide a height comparable to a 72" inside height for Type A-1, SRW and DRW buses and a 74" inside height, or better, for type A-2 buses.

SEAT BELTS:

Seat belts shall be provided for each individual seating space. Seat belts shall meet current Federal Safety standards and shall be of a type approved by and installed in accordance with the rules and regulations established by the Commissioner of the New York State Department of Transportation under the rules and regulations established in subdivision (5) of section three-hundred eighty-three (383) of the New York State Vehicle and Traffic Laws dated July 30, 1986 and Title 17, NYCRR Part 724.

SEAT CUSHION UPHOLSTERY:

The body manufacturer's standard seating upholstery conforming to NYS DOT, Motor Vehicle/School Bus Regulations shall be provided.

When requested at the item level (see Kevlar option), the seat shall be covered with an upholstery having increased tear/wear resistance and puncture resistance -- approximately three times that of standard and/or fiberglass-backed upholsteries. Except for this upholstery covering upgrade, the seat assembly shall comply to the minimum State regulations stated in the preceding paragraph only.

When a handicapped/wheelchair lift/station is required, the cost of the optional wheelchair lift station/s requirement/s shall include any additional fire resistant and safety component/s required to comply with respective federal and NYS, DOT transportation regulations.

(continued)

**State of New York
 Office of General Services
 PROCUREMENT SERVICES GROUP
 Contract Performance Report**

Please take a moment to let us know how this contract award has measured up to your expectations. If reporting on more than one contractor or product, please make copies as needed. This office will use the information to improve our contract award, where appropriate. **Comments should include those of the product's end user.**

Contract No.: _____ **Contractor:** _____

Describe Product* Provided (Include Item No., if available): _____

***Note:** "Product" is defined as a deliverable under any Bid or Contract, which may include commodities (including printing), services and/or technology. The term "Product" includes Licensed Software.

	Excellent	Good	Acceptable	Unacceptable
• Product meets your needs				
• Product meets contract specifications				
• Pricing				

CONTRACTOR

	Excellent	Good	Acceptable	Unacceptable
• Timeliness of delivery				
• Completeness of order (fill rate)				
• Responsiveness to inquiries				
• Employee courtesy				
• Problem resolution				

Comments: _____

 _____ (over)

Agency: _____ Prepared by: _____
 Address: _____ Title: _____
 _____ Date: _____
 _____ Phone: _____
 _____ E-mail: _____

Please detach or photocopy this form & return by FAX to 518/474-2437 or mail to:

OGS PROCUREMENT SERVICES GROUP
 Customer Services, Room 3711
 Corning 2nd Tower - Empire State Plaza
 Albany, New York 12242

* * * * *
 (continued)