Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

A proposal for **NYS DHSES**

Prepared by TRACEY ROAD EQUIPMENT, INC. Brendan Geiss

Feb 27, 2020

Western Star 4700SB



Components shown may not reflect all spec'd options and are not to scale



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

SPECIFICATION PROPOSAL

Description

Price Level

WESTERN STAR 4700 PRL-23T (EFF:01/21/20)

Data Version

SPECPRO21 DATA RELEASE VER 005

Vehicle Configuration

4700 SET-BACK FRONT AXLE CHASSIS

2021 MODEL YEAR SPECIFIED

SET BACK AXLE - TRUCK

STRAIGHT TRUCK PROVISION, NON-TOWING

LH PRIMARY STEERING LOCATION

General Service

TRUCK CONFIGURATION

DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)

UTILITY/REPAIR/MAINTENANCE SERVICE

GOVERNMENT BUSINESS SEGMENT

FIXED LOAD COMMODITY

TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS

MAXIMUM 8% EXPECTED GRADE

SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES)

ROAD SURFACE

WESTERN STAR VOCATIONAL WARRANTY

EXPECTED FRONT AXLE(S) LOAD: 22000.0 lbs

EXPECTED REAR DRIVE AXLE(S) LOAD:

46000.0 lbs

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 68000.0 lbs

Truck Service

ROLL OFF/ROLL ON BODY



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

Engine

DETROIT DD13 12.8L 505 HP @ 1625 RPM, 1900 GOV RPM, 1850 LB/FT @ 975 RPM

Electronic Parameters

65 MPH ROAD SPEED LIMIT

CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT, WITH AUTO RESUME AFTER SHIFT

1650 RPM/18 MPH LIMIT FOR LOW GEARS, 1650 RPM/44 MPH LIMIT FOR MIDDLE GEARS, 1650 RPM/45 MPH LIMIT FOR HIGH GEARS

5 MINUTES IDLE SHUTDOWN WITH CLUTCH AND SERVICE BRAKE OVERRIDE

PTO MODE ENGINE RPM LIMIT - 900 RPM

PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED

PTO RPM WITH CRUISE SET SWITCH - 900 RPM

PTO RPM WITH CRUISE RESUME SWITCH - 900 RPM

PTO MODE RPM INCREMENT - 25 RPM

ONE REMOTE PTO SPEED

PTO SPEED 1 SETTING - 900 RPM

SOFT CRUISE CONTROL ENABLED

PTO MINIMUM RPM - 900

TEMPERATURE OVERRIDE BELOW 20 DEGREES AND ABOVE 70 DEGREES AMBIENT TEMPERATURE

ENABLE AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE

Engine Equipment

2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION

2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)

STANDARD OIL PAN

ENGINE MOUNTED OIL CHECK AND FILL

ONE PIECE VALVE COVER

SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH Safety ELEMENT, FIREWALL MOUNTED



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE

(4) DTNA GENUINE, FLOODED STARTING AND CYCLING, MIN 2800CCA, 760RC, THREADED STUD BATTERIES

BATTERY BOX WITH ALUMINUM COVER MOUNTED LONG SIDE TO RAIL

SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB

WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN

NON-POLISHED BATTERY BOX COVER

POSITIVE LOAD DISCONNECT WITH DASH MOUNTED CONTROL SWITCH WITH LOCKING PROVISION

LOW VOLTAGE BATTERY DISCONNECT AT 12.3 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM

EATON FULLER ECA CLUTCH

ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING

ELECTRONIC CLUTCH CONTROL

BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH Safety VALVE

AIR COMPRESSOR DISCHARGE LINE

ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM

JACOBS COMPRESSION BRAKE

RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH

11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT

STANDARD CURVE BRIGHT UPPER STACK(S)

RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP

13 GALLON DIESEL EXHAUST FLUID TANK 100 PERCENT DIESEL EXHAUST FLUID FILL



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING

LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION

STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD

HORTON 2-SPEED DRIVEMASTER ADVANTAGE POLAREXTREME FAN DRIVE

AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED

DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR

FULL FLOW OIL FILTER

1500 SQUARE INCH ALUMINUM RADIATOR

MOUNTING FOR FIREWALL MOUNTED SURGE TANK

ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT

GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT

CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES

HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE

LOWER RADIATOR GUARD

PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER

PHILLIPS-TEMRO 300 WATT/115 VOLT OIL PREHEATER

CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR

ALUMINUM FLYWHEEL HOUSING

MITSUBISHI 12V MOD 3.175-DP60 STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission

EATON FULLER FO-18E318B-MXP ULTRASHIFT PLUS TRANSMISSION

Transmission Equipment

NO REAR PTO TRANSMISSION RANGE

BODY LIGHTING POWER WIRED TO CUSTOMER INTERFACE CONNECTOR WITH SEPARATE STOP/TURN



Prepared for:
BENJAMIN WHEELER
NYS DHSES
2 VAN BUREN BLVD
GUILDERLAND CTR, NY 12085

Phone: 518-474-6746

Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057

Description

ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED

ALUMINUM CLUTCH HOUSING

CUSTOMER INSTALLED CHELSEA 489 SERIES PTO

PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION

MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN

PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED

WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK

SYNTHETIC TRANSMISSION LUBE

Front Axle and Equipment

MFS-20-133A 22,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE

MERITOR 16.5X6 Q+ HIGH CAPCITY CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS FRONT BRAKE LINING

CONMET CAST IRON FRONT BRAKE DRUMS

FRONT OIL SEALS

VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL

STANDARD SPINDLE NUTS FOR ALL AXLES

MERITOR AUTOMATIC FRONT SLACK ADJUSTERS

STANDARD KING PIN BUSHINGS

TRW TAS-85 POWER STEERING WITH RCH45 AUXILIARY GEAR

POWER STEERING PUMP

4 QUART POWER STEERING RESERVOIR

OIL/AIR POWER STEERING COOLER SYNTHETIC 50W FRONT AXLE LUBE

Front Suspension

23,000# FLAT LEAF FRONT SUSPENSION THREADED SPRING PINS AND BUSHINGS -FRONT SUSPENSION

Rear Axle and Equipment



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE

4.10 REAR AXLE RATIO

IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING

RPL25 MERITOR MAIN DRIVELINE

RPL20 MERITOR INTERAXLE DRIVELINE

DRIVER CONTROLLED TRACTION
DIFFERENTIAL - BOTH TANDEM REAR AXLES

(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE

INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH

INDICATOR LIGHT FOR EACH DRIVER CONTROLLED TRACTION DEVICE SWITCH

MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS REAR BRAKE LINING

ASPHALT SPREADER CLEARANCE REAR

BRAKE GEOMETRY

CONMET CAST IRON REAR BRAKE DRUMS

REAR OIL SEALS

WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS

HALDEX AUTOMATIC REAR SLACK ADJUSTERS

SYNTHETIC 75W-90 REAR AXLE LUBE

Rear Suspension

CHALMERS 854 46,000# HIGH STABILITY REAR SUSPENSION WITH #29 CAN

CHALMERS 800 SERIES - HIGH RIDE HEIGHT

54 INCH AXLE SPACING

FORE/AFT AND TRANSVERSE CONTROL RODS REAR SHOCK ABSORBERS - TWO AXLES

(TANDEM)

Brake System

WABCO 4S/4M ABS WITH HILL START AID AND TRACTION CONTROL, WITH ATC OFF-ROAD SWITCH

REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

FIBER BRAID PARKING BRAKE HOSE

STANDARD BRAKE SYSTEM VALVES

RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,

NO REAR PROPORTIONING VALVE

BW AD-9SI BRAKE LINE AIR DRYER WITH

HEATER

AIR DRYER MOUNTED INBOARD ON LH RAIL

ALUMINUM AIR BRAKE RESERVOIRS

PULL CABLES ON ALL AIR RESERVOIR(S)

Trailer Connections

NO TRAILER RECEPTACLE BRACKET

Wheelbase & Frame

6050MM (238 INCH) WHEELBASE

1/2X3.64X11-7/8 INCH STEEL FRAME (12.7MMX301.6MM/0.5X11.88 INCH) 120KSI

1/4 INCH (6.35MM) C-CHANNEL INNER FRAME

REINFORCEMENT

1875MM (74 INCH) REAR FRAME OVERHANG

FRAME OVERHANG RANGE: 71 INCH TO 80

INCH

CALC'D BACK OF CAB TO REAR SUSP C/L (CA):

174.88 in

CALCULATED EFFECTIVE BACK OF CAB TO

REAR SUSPENSION C/L (CA) : 171.88 in

CALC'D FRAME LENGTH - OVERALL: 342.11

FRAME HEIGHT TOP FRONT UNLADEN: 44.48 in

FRAME HEIGHT TOP FRONT LADEN: 40.94 in

FRAME HEIGHT TOP REAR UNLADEN: 45.48 in FRAME HEIGHT TOP REAR LADEN: 42.45 in

CALCULATED FRAME SPACE LH SIDE: 47.18 in

CALCULATED FRAME SPACE RH SIDE: 233.4 in

CALC'D SPACE AVAILABLE FOR DECKPLATE:

174.69 in

SQUARE END OF FRAME

STANDARD WEIGHT ENGINE CROSSMEMBER

STANDARD CROSSMEMBER BACK OF

TRANSMISSION

STANDARD MIDSHIP #1 CROSSMEMBER(S)

STANDARD REARMOST CROSSMEMBER

STANDARD SUSPENSION CROSSMEMBER



Prepared for: BENJAMIN WHEELER NYS DHSES 2 VAN BUREN BLVD GUILDERLAND CTR, NY 12085

Phone: 518-474-6746

Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER

Chassis Equipment

14 INCH CHROMED STEEL BUMPER

REMOVABLE FRONT TOW HOOKS STORED ON

THE CHASSIS FRAME

BUMPER MOUNTING FOR SINGLE LICENSE

PLATE

FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS

GRADE 8 THREADED HEX HEADED FRAME

FASTENERS

EXTERIOR HARNESSES WRAPPED IN

ABRASION TAPE

Fuel Tanks

125 GALLON/473 LITER ALUMINUM FUEL TANK -

LH

25 INCH DIAMETER FUEL TANK(S)

PLAIN ALUMINUM/PAINTED STEEL

FUEL/HYDRAULIC TANK(S) WITH POLISHED

STAINLESS STEEL BANDS

FUEL TANK(S) FORWARD

PLAIN STEP FINISH

FUEL TANK CAP(S)

EQUIFLO INBOARD FUEL SYSTEM

HIGH TEMPERATURE REINFORCED NYLON

FUEL LINE

FUEL COOLER

Tires

MICHELIN XZY-3 425/65R22.5 20 PLY RADIAL

FRONT TIRES

CONTINENTAL HDR2 11R22.5 16 PLY RADIAL

REAR TIRES

Hubs

CONMET PRESET PLUS PREMIUM IRON FRONT

HUBS

CONMET PRESET PLUS PREMIUM IRON REAR

HUBS

Wheels

ALCOA LVL ONE 82462X 22.5X12.25 10-HUB PILOT 4.68 INSET 10-HAND ALUMINUM DISC

FRONT WHEELS



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

ALCOA LVL ONE 88267X 22.5X8.25 10-HUB
PILOT ALUMINUM DISC REAR WHEELS
NO FRONT AXLE WHEEL/HUB COVER
FRONT WHEEL MOUNTING NUTS
REAR WHEEL MOUNTING NUTS
NYLON WHEEL GUARDS FRONT AND REAR ALL
INTERFACES

Cab Exterior

110 INCH BBC STEEL CONVENTIONAL CAB

WESTERN STAR PAINTED ALUMINUM CAB SKIRT

AIR CAB MOUNTS WITH CHECK VALVE

RACEWAY WITHOUT MISCELLANEOUS CUSTOM CAB REQUIREMENTS

NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE

FRONT FENDERS

2 INCH FENDER EXTENSIONS

LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST

STATIONARY BRIGHT FINISH GRILLE

CHROME HOOD MOUNTED AIR INTAKE GRILLE GALVANEALED STEEL SEVERE SERVICE CAB

FIBERGLASS HOOD

HOOD LINER INSULATION WITH SINGLE FIREWALL INSULATION

DUAL HADLEY 22 INCH CHROMED ROUND AIR HORNS

DUAL ELECTRIC HORNS

DUAL HORN SHIELDS

DOORS AND IGNITION KEYED THE SAME

REAR LICENSE PLATE MOUNT END OF FRAME

SINGLE RECTANGULAR H4 HALOGEN HEADLIGHTS WITH BRIGHT BEZELS

LED MARKER LIGHTS INTEGRAL WITH SUN VISOR

PERLUX 500SRS RECTANGULAR FOG LIGHTS IN BUMPER WITH CLEAR LENS AND BLACK HOUSING

DAYTIME RUNNING LIGHTS



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

INTEGRAL STOP/TAIL/BACKUP LIGHTS

STANDARD FRONT TURN SIGNAL LAMPS

(2) FLUSH LED UTILITY LIGHTS MOUNTED BACK OF CAB/SLEEPER

DUAL WEST COAST STAINLESS STEEL HEATED MIRRORS WITH LIGHTS AND LH AND RH REMOTE

DOOR MOUNTED MIRRORS

102 INCH EQUIPMENT WIDTH

LH AND RH 8 INCH STAINLESS STEEL CONVEX MIRRORS MOUNTED BELOW PRIMARY MIRRORS

RH DOWN VIEW MIRROR

RH AND LH 8 INCH STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS

STANDARD SIDE/REAR REFLECTORS

ELECTRIC DOOR LOCKS, MECHANICAL KEY TUMBLER

FIBERGLASS EXTERIOR SUN VISOR

17.5X35 INCH TINTED REAR WINDOW

TINTED DOOR GLASS

RH AND LH ELECTRIC POWERED WINDOWS

2-PIECE TINTED CURVED GASKET MOUNTED WINDSHIELD

2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL

Cab Interior

PRAIRIE BUCKSKIN VINYL PREMIUM INTERIOR

TAN HARD TRIM

BASE LEFT HAND DOOR TRIM

BASE RIGHT HAND DOOR TRIM

BLACK MATS WITH SINGLE INSULATION

ASH CUP AND LIGHTER

FORWARD ROOF MOUNTED CONSOLE

LH AND RH DOOR MAP POCKETS

(2) COAT HOOKS ON BACKWALL OF CAB

(1) DOUBLE CUP HOLDER WITH CELL PHONE

HÓLDER LH OR RH DASH



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

TWO-TONE CHARCOAL UPPER/BUCK TAN LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER

HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER

HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER

MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

STANDARD HEATER PLUMBING

VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR

RADIATOR MOUNTED AIR CONDITIONER CONDENSER

BINARY CONTROL, R-134A

ADDITIONAL CAB SIDEWALL INSULATION

AUTOMATIC SELF-RESET CIRCUIT BREAKERS/FUSES IN DASH POWER DISTRIBUTION BOXES AND FUSES IN AUXILIARY POWER DISTRIBUTION BOXES

DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED COURTESY LIGHTS

LH AND RH ELECTRIC DOOR LOCKS

ELITE HIGH BACK AIR SUSPENSION DRIVER SEAT WITH HEAT, 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT AND ADJUSTABLE SHOCK

ELITE HIGH BACK AIR SUSPENSION
PASSENGER SEAT WITH HEAT, 3 CHAMBER AIR
LUMBAR, INTEGRATED CUSHION EXTENSION,
FORWARD AND REAR CUSHION TILT AND
ADJUSTABLE SHOCK

BLACK MORDURA CLOTH DRIVER SEAT COVER

BLACK MORDURA CLOTH PASSENGER SEAT COVER

3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS

ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN

4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH SWITCHES

DRIVER AND PASSENGER INTERIOR SUN VISORS



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

Instruments & Controls

NON-ADJUSTABLE SUSPENDED PEDALS

ELECTRONIC FOOT ACCELERATOR

BRIGHT ARGENT FINISH GAUGE BEZELS

BLACK VINYL DRIVER INSTRUMENT PANEL

BLACK VINYL CENTER INSTRUMENT PANEL

LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

(1) SINGLE BRAKE APPLICATION AIR GAUGE

2 INCH PRIMARY AND SECONDARY AIR

PRESSURE GAUGES

FILTERMINDER DASH MOUNTED AIR

RESTRICTION GAUGE

97 DB BACKUP ALARM

ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES

KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED

HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH

2 INCH ELECTRIC FUEL GAUGE

FUEL FILTER RESTRICTION INDICATOR

EMISSIONS LIMITED IDLE ADJUST

CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

2 INCH TRANSMISSION OIL TEMPERATURE GAUGE

ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER

(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP

ELECTRIC ENGINE OIL PRESSURE GAUGE

AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939

ROOF/OVERHEAD CONSOLE MOUNTED RADIO



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

(4) RADIO SPEAKERS IN CAB

POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE

ROOF/OVERHEAD CONSOLE CB RADIO PROVISION

MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM

UHF/VHF RADIO POWER/GROUND HARNESS TO OVERHEAD INSTRUMENT PANEL

ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER

STANDARD VEHICLE SPEED SENSOR

ELECTRONIC 3000 RPM TACHOMETER

VT-HU CONNECTIVITY PLATFORM HARDWARE

2 YEARS DETROIT CONNECT BASE PACKAGE (VIRTUAL TECHNICIAN, DETROIT CONNECT PORTAL ACCESS) FOR VT-HU CONNECTIVITY PLATFORM

IDLE SHUTDOWN OVERRIDE, DDEC 5/6 AMBIENT AIR TEMPERATURE SENSOR

FOUR EXTRA SWITCHES IN DASH

HARDWIRE SWITCH #1,0N/OFF LATCHING, 30 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR

HARDWIRE SWITCH #2,0N/OFF LATCHING, 30 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR

HARDWIRE SWITCH #3,0N/OFF LATCHING, 20 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR

HARDWIRE SWITCH #4,0N/OFF LATCHING, 20 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY

CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH WITH HEADLIGHT/MARKER LIGHT INTERRUPTER SWITCHES ON STEERING WHEEL

ONE VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR



Prepared for:
BENJAMIN WHEELER
NYS DHSES
2 VAN BUREN BLVD
GUILDERLAND CTR, NY 12085

Phone: 518-474-6746

Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

MANUAL TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT

PACIFIC INSIGHT ELECTRONIC FLASHER

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L2683EY VERMILLION PIERCE #50 ELITE EY

CAB INTERIOR PAINTED SAME AS CAB COLOR BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

SUNVISOR PAINTED SAME AS CAB COLOR A

Secondary Factory Options

NO CUSTOMER FURNISHED MATERIAL SPECIFIED

DEALER HAS BEEN ADVISED OF AND ACCEPTED RESPONSIBILITY FOR MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE

Raw Performance Data

CALC'D FRAME LENGTH - OVERALL: 342.11
CALCULATED EFFECTIVE BACK OF CAB TO
REAR SUSPENSION C/L (CA): 171.88 in
CALC'D SPACE AVAILABLE FOR DECKPLATE: 174.69 in

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

